






- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
- 1.2 FOR PATENT INFO: <https://www.adwpat.com>
- 2.0 DESIGN NOTES
- 2.1 MAXIMUM ALLOWABLE WEIGHT PER RRU = 109 KG (240 LBS)
- 2.2 BOLTS/NUTS/WASHERS USE TO ATTACH INTERFACE BRACKET TO RADIO ARE TO BE PER RADIO MANUFACTURERS SPECIFICATIONS INCLUDING TORQUE.
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005
- 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
- 5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	NSUN 11SEP24	YZ1080 40204360CMO
B	UPDATED FOR BRACKET CHANGE	YX1027 09OCT24	YZ1080 40204940CMO
C	UPDATED NOTE2.1	JJ1095 14AUG25	YZ1080 50104409AMO



SECTION A-A
SCALE 1 : 4



PACKAGING

COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MTC378905-00	BRACKET, RRU MOUNTING, RR-FAX	2	7.35 LBS	
2	MTC8196	3/8 X 1-1/4" CARRIAGE BOLT	12	0.052 LBS	
3	GW-03	3/8" GALV FLAT WASHER	12	0.01 LBS	
4	GW-03	3/8" GALV LOCK WASHER	12	0.01 LBS	
5	GN-03	3/8" GALV HEX NUT	12	0.02 LBS	
6	MTC9415	M8 X 25mm HEX BOLT SS	8	0.032 LBS	
7	MTC9418	M8 LOCK WASHER SS	8	0.002 LBS	
8	MTC9419	M8 FLAT WASHER SS	8	0.004 LBS	




DENSITY	MASS	16.06	lbs/in³
VOLUME	56.51	in³	
SURFACE AREA	1007.02	in²	
HEIGHT	15.3"		
LENGTH	17.4"		
WIDTH	5.1"		

 ANDREW[®] an Amphenol company									
TOLERANCES						SAP MATERIAL MASTER			
0 PLACE		X[X] ± 0.25[6.3]		2 PLACE		.XX[X] ± 0.06[1.5]		RR-FA4-AMK-001	
1 PLACE		X[X] ± 0.12[3.0]		ANGLES		± 2°			
FINISH					MATERIAL				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994		NAME	DATE	RRH MOUNT,ERICCSON,4-RADIOS,AMK, UPGRADE					
	CE	NSUN	11SEP24						
	RW	JJ1095	08/18/2025						
									
	AD	YZ1080	08/19/2025	SCALE 1:4	DOCUMENT NO. RR-FA4-AMK-001				
	RE	YMENG	08/19/2025						
	ECN 50104409AMO								
SIZE	Auth Group	INSL	MODEL			DRAWING			SHEET 1 OF 11
C			VERSION	STATUS	REVISION	VERSION	STATUS	REVISION	
			01	RE	B	02	RE	C	


Confidential

APPLICABLE PIPE DIAMETER FOR EXTERNAL HOLES

APPLICABLE PIPE DIAMETER FOR EXTERNAL HOLES



DETAIL B
SCALE 2 : 3




DETAIL C
SCALE 2 : 3



TITLE				
RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE				
SIZE	SCALE	DOCUMENT NO.		
C	1:4	RR-FA4-AMK-001		
 		DRAWING		
		VERSION	STATUS	REVISION
		02	RE	C
SHEET				2 OF 11

Confidential

MOUNTING HOLES POSITION



"A": 4449/4467/4490/4890/8843/8863
"B": 4455
"C": 4455
"D": 4435/4460/1281/5322
"E": 4415/4426/4478/6308

Confidential

				
TITLE RRH MOUNT,ERICSSON,4-RADIOS,AMK,UPGRADE				
SIZE C	SCALE 1:4	DOCUMENT NO. RR-FA4-AMK-001		
 		DRAWING		
		VERSION 02	STATUS RE	REVISION C
				SHEET 3 OF 11


BRACKET COMPATIBLE WITH 4455 RADIO/AIR MOUNTING ON RR-FA4

D

C



B

A




2.2
4X M8 HARDWARE
(RRU 4455 MOUNTING)

(NEAR SIDE RRU HIDDEN FOR CLARITY)



OPTION 1



OPTION 2

MOUNTING HOLES POSITION



TITLE
RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE

SIZE **C** SCALE **1:4** DOCUMENT NO. **RR-FA4-AMK-001**

DRAWING			SHEET 4 OF 11
VERSION	STATUS	REVISION	
02	RE	C	

Confidential


4

3



2

1

BRACKET COMPATIBLE WITH 4435/4460 RADIO, 4435/1281/5322 AIR MOUNTING ON RR-FA4




2.2
4X M8 HARDWARE
(RRU4435/4460, AIR 4435/1281/5322)




MOUNTING HOLES POSITION





TITLE
RRH MOUNT,ERICSSON,4-RADIOS,AMK,UPGRADE

SIZE C	SCALE 1:4	DOCUMENT NO. RR-FA4-AMK-001			
		DRAWING			SHEET 5 OF 11
		VERSION	STATUS	REVISION	
		02	RE	C	

Confidential




BRACKET COMPATIBLE WITH 4415/4426/4478 RADIO, 6308 POWER MOUNTING ON RR-FA4




MOUNTING HOLES POSITION






TITLE
RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE

SIZE C	SCALE 1:4	DOCUMENT NO. RR-FA4-AMK-001			
		DRAWING			SHEET 6 OF 11
		VERSION	STATUS	REVISION	
		02	RE	C	

Confidential



BRACKET COMPATIBLE WITH 4449/4467/4490/4890/8843/8863 RADIO MOUNTING ON RR-FA4




MOUNTING HOLES POSITION



TITLE
RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE

SIZE C	SCALE 1:8	DOCUMENT NO. RR-FA4-AMK-001		
		DRAWING		SHEET 7 OF 11
		VERSION 02	STATUS RE	

Confidential



7 OF 11

BRACKET COMPATIBLE WITH 4449/4467/4490/4890/8843/8863 RADIO MOUNTING ON RR-APEX4-E

D

D

C




C

B

B

A

A



MOUNTING HOLES POSITION





Confidential



TITLE
RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE

SIZE C	SCALE 1:8	DOCUMENT NO. RR-FA4-AMK-001		
		DRAWING		
		VERSION 02	STATUS RE	REVISION C
		SHEET 8 OF 11		

BRACKET COMPATIBLE WITH 4455 RADIO/AIR MOUNTING ON RR-APEX4-E



OPTION 1




OPTION 2

MOUNTING HOLES POSITION


Confidential

				
TITLE RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE				
SIZE C	SCALE 1:8	DOCUMENT NO. RR-FA4-AMK-001		
 		DRAWING		SHEET 9 OF 11
		VERSION 02	STATUS RE	REVISION C

BRACKET COMPATIBLE WITH 4435/4460 RADIO, 4435/1281/5322 AIR MOUNTING ON RR-APEX4-E





MOUNTING HOLES POSITION

				
TITLE RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE				
SIZE C	SCALE 1:8	DOCUMENT NO. RR-FA4-AMK-001		
 		DRAWING		SHEET 10 OF 11
		VERSION 02	STATUS RE	REVISION C

Confidential

BRACKET COMPATIBLE WITH 4415/4426/4478 RADIO, 6308 POWER MOUNTING ON RR-APEX4-E



MOUNTING HOLES POSITION

Confidential

				
TITLE RRH MOUNT, ERICSSON, 4-RADIOS, AMK, UPGRADE				
SIZE C	SCALE 1:8	DOCUMENT NO. RR-FA4-AMK-001		
		DRAWING	REVISION	SHEET
		VERSION	STATUS	11 OF 11
		02	RE	C