



STRUCTURAL SUPPORT PRODUCTS

PRODUCT SELECTION GUIDE

TABLE OF CONTENTS

Structural support solutions	3	Safety climb cable guides	41
Resources	4	Tower reinforcement kits.....	42
Part number nomenclature.....	6	Large leg adapter kits.....	42
PIM-GUARD® solutions	9	Monopole load distribution reinforcement kits.....	43
Smarter engineering for PIM-free tower tops	10	VZWSmart monopole.....	44
PIM-GUARD® RHDXL tower sector frames.....	11	VZWSmart tower	45
PIM-GUARD® RHDXL monopole sector frames	12	VZWSmart hardware kits.....	46
PIM-GUARD® RHDH tower sector frames.....	13	Roof top applications.....	47
PIM-GUARD® RHDH monopole sector frames.....	14	Single and dual penetrating rooftop frame.....	48
PIM-GUARD® HDX tower sector frames	15	Single and dual ballasted rooftop frame	49
PIM-GUARD® HDX monopole sector frames.....	16	Medium capacity roof frames	50
MP-PP monopole platforms	17	Universal tripod mounts	51
PIM-GUARD® skew fighter.....	18	Wall mounting components	52
PIM-GUARD® offset crossover plate	18	Microwave and wall mounts	53
Radio mounts	19	Equipment platforms	54
Polymer PIM-GUARD® antenna and RRU cable support brackets.....	20	Ice and rain canopies.....	57
Heavy duty roof frames	21	Equipment platform legs	58
Monopole applications	22	Power telco racks	59
MCG23RHDH monopole sector frames	23	Handrail and step kits.....	60
MCG23HDX monopole sector frames.....	24	Radio mounts	61
MCG22HD monopole sector frames.....	25	RRU mounts	62
Atlas monopole platform	26	PAM universal pipe-to-angle mount kits.....	63
MC-HP 3-sector high capacity monopole platform.....	27	Stand-off arm mounts.....	64
MC-CP 3-sector medium capacity monopole platform	28	Tower mounts.....	65
MC-PK 3-sector low profile monopole platform.....	29	Monopole mounts.....	66
Double T-arms kits	30	Ground level mounts	67
4-sector Atlas MC-PM series—high-capacity platform kits.....	31	Outdoor RRU mount racks	68
4-sector MC-PK series—base platform kits	32	RRU mount racks.....	68
4-sector MCHD-PK series—full platform kits	32	Cable support products	69
Custom monopole platforms – 4 sector kit	32	Polymer PIM-GUARD® antenna and RRU cable support brackets.....	70
Optional four-sector platform accessory kits.....	33	PIM-GUARD® cable support brackets	71
6-sector monopole platforms kit.....	33	Antenna RRU cable support brackets	72
Tower applications	34	Cable ladder kits.....	73
SFG23RHDH tower applications	35	Waveguide bridge components.....	74
SFG23HDX tower applications	36	Trapeze kits and Z-brackets	75
SFG22HD and SFG22HDX tower applications	37	Pipes and pole mounts	76
SFG21HD tower applications.....	38	Pipe mount kits	77
Reinforcement kits and MODs	39	Crossover plates.....	78
Hoisting grip anchors	40	Pipe-to-pipe clamps.....	80
		Pipes	81
		U-bolts and hardware	82



STRUCTURAL SUPPORT SOLUTIONS

ANDREW provides Structural Support Solutions that deliver stability, durability, and precision for the most important networks in the world. Our premium Structural Support Solutions reinforce your structure and optimize antenna performance. As a result, these solutions help you realize significant, long-term OpEx savings.

Our support systems are suited to be used on virtually any kind of tower, monopole, roof top structure or water tower. Each solution is engineered to meet or exceed the latest EIA/TIA code requirements and conform to both ISO-9001 standards and AISC specifications. This proven excellence enables network operators to:

- Minimize or eliminate antenna misalignment
- Utilize available spectrum more efficiently
- Improve RF path integrity and overall network performance
- Increase throughput and quality of service
- Mitigate customer churn and total cost of ownership

Because our components are engineered and manufactured to the highest standards and most exact specifications, you can rest assured they've been designed to fit snugly on your tower and fabricated to withstand the harshest elements. Whether you need additional U-bolts for your mount, or struts and brackets for your microwave, pipe or stand-off mounts, we deliver the most durable mounting components to keep your antenna properly aligned.


RESOURCES

Where to buy

Key ANDREW locations

Product nomenclature





SERVICED BY

TALLEY®

T tessco

PRIMUS

KGPCo.


ANIXTER

GraybaR

For product support questions, email us directly at:
steelproducts@andrew.com


PART NUMBER NOMENCLATURE

G2 SERIES TOWER SECTOR FRAME




PART NUMBER NOMENCLATURE

G2 SERIES MONOPOLE SECTOR FRAME



PART NUMBER NOMENCLATURE

MONOPOLE PLATFORMS



PIM-GUARD® SOLUTIONS

RHDXL SERIES:

SFG23RHDXL

MCG23RHDXL

RHDX SERIES:

SFG23RHDX

SFG22RHDX

MCG23RHDX

MCG22RHDX0

HDX SERIES:

SFG22HDX

MCG22HDX

MP-PP SERIES





FOR OUR FULL PIM-GUARD® SOLUTIONS
PORTFOLIO, PLEASE VISIT OUR PIM-MITIGATION
SITE OR FOLLOW THE QR CODE:

[PIM-Guard® PIM mitigation | ANDREW](#)



SMARTER ENGINEERING FOR PIM-FREE TOWER TOPS

Passive intermodulation (PIM) presents a constant challenge to cellular network performance. ANDREW created new antenna mounting solutions that greatly reduce PIM arising between remote radio units (RRUs) and base station antennas (BSAs) on the tower—and the resulting PIM savings are a real game-changer, especially for higher-power radios.

RHDX SPINE EXTENSION	APEX RRU MOUNT	RHDXL PIM OPTIMIZED SECTOR FRAME
	 • APEX mounts up to 8 Radios on RHDX & RHDXL spines to move radios away from antennas	 • All the features and benefits of the RHDX extended spine PLUS PIM optimized frame to increase antenna-to-antenna spacing
FEATURES	CORE RRU SADDLE MOUNT	MP-PP PIM OPTIMIZED PLATFORM
• Extended spine for SFG23 RHDX mounts that increase RRU mounting capabilities • Decreased PIM from radio relocation • Increased versatility and stability • Updated frame provides higher loading • More RRU mounting available, reducing need for additional mounts • Better load management • Less structure stress • Available as tower & monopole sector frames • Can be used in combination with APEX and CORE RRU mounts	 • CORE internal tower mount attaches to rear of RHDX and RHDXL Saddle mounts	 • PIM optimized monopole platform with adjustable single-point tower connection that provides increased antenna spacing & enables RRU mounting on custom triangle

PIM-GUARD® RHDXL TOWER SECTOR FRAMES

TOWER SECTOR FRAMES 62" STANDOFF - WITH SPINE

- All the features and benefits of the RHDx extended spine plus PIM optimized frame
- New RHDxL extended frame enables increased antenna-to-antenna spacing
- Extended spine relocates radios & extended frame increases distance between antennas to combine forces & mitigate PIM in the Hi-risk zone around antennas




DESCRIPTION	ANTENNA PIPES INCLUDED	ATTACHMENT HARDWARE	PART NUMBER
RHDxL PIM optimized tower sector frame single sector 11' face	(3) 2-7/8" x 96"	Tapered clamps up to 8" tower leg	SFG23RHDxL-11-B
			SFG23RHDxL11-3-96
	(3) 2-7/8" x 126"		SFG23RHDxL11-3-126
RHDxL PIM optimized tower sector frame Single sector 13' face	(4) 2-7/8" x 96"	Tapered clamps up to 8" tower leg	SFG23RHDxL-13-B
			SFG23RHDxL13-4-96
	(4) 2-7/8" x 126"		SFG23RHDxL13-4-126
RHDxL PIM optimized tower sector frame Single sector 14' 6" face	None	Tapered clamps up to 8" tower leg	SFG23RHDxL-14-B
RHDxL PIM optimized tower sector frame Single sector 15' face	(4) 2-7/8" x 96"	Tapered clamps up to 8" tower leg	SFG23RHDxL-15-B
			SFG23RHDxL15-4-96
	(5) 2-7/8" x 96"		SFG23RHDxL15-5-96
	(4) 2-7/8" x 126"		SFG23RHDxL15-4-126
	(5) 2-7/8" x 126"		SFG23RHDxL15-5-126

PIM-GUARD® RHDXL MONOPOLE SECTOR FRAMES

MONOPOLE SECTOR FRAMES 62" STANDOFF - WITH SPINE

- All the features and benefits of the RHDXL extended spine plus
- PIM optimized frame
- New RHDXL extended frame enables increased antenna-to-antenna spacing
- Extended spine relocates radios & extended frame increases distance between antennas to combine forces & mitigate PIM in the hi-risk zone around antennas




DESCRIPTION	ANTENNA PIPES INCLUDED	ATTACHMENT HARDWARE	PART NUMBER
RHDXL PIM optimized monopole sector frame Three sector 11' face	None	Ring mount kit 15" to 50" monopoles	MCG23RHDXL-11MB
	(9) 2-7/8" x 96"		MCG23RHDXL-11M996
	(9) 2-7/8" x 126"		MCG23RHDXL-11M9126
RHDXL PIM optimized monopole sector frame Three sector 13' face	None	Ring mount kit 15" to 50" monopoles	MCG23RHDXL-13MB
	(12) 2-7/8" x 96"		MCG23RHDXL-13M1296
	(12) 2-7/8" x 126"		MCG23RHDXL13M12126
RHDXL PIM optimized monopole sector frame Three sector 15' face	None	Ring mount kit 15" to 50" monopoles	MCG23RHDXL-15MB
	(12) 2-7/8" x 96"		MCG23RHDXL-15M1296
	(12) 2-7/8" x 126"		MCG23RHDXL15M12126
	(15) 2-7/8" x 96"		MCG23RHDXL-15M1596
	(15) 2-7/8" x 126"		MCG23RHDXL15M15126

PIM-GUARD® RHDX TOWER SECTOR FRAMES

TOWER SECTOR FRAMES 42" STANDOFF - WITH SPINE


- Extended Spine relocates radios to mitigate PIM in the Hi-risk zone around antennas
- Tapered clamps up to 8" tower leg



DESCRIPTION	ANTENNA PIPES INCLUDED	PART NUMBER
G23 Series High Capacity Sector Frames (with extended spine for RRU Mounting)		
G23RHDX Tower Sector Frame Single Sector 11' Face	None	SFG23RHDX-11-B
	(3) 2-7/8" OD x 120" pipes	SFG23RHDX-11-3-120
G23RHDX Tower Sector Frame Single Sector 13' Face	None	SFG23RHDX-13-B
	(4) 2-7/8" OD x 120" pipes	SFG23RHDX-13-4-120
G23RHDX Tower Sector Frame Single Sector 15' Face	None	SFG23RHDX-15-B
	(4) 2-7/8" OD x 120" pipes	SFG23RHDX-15-4-120
	(5) 2-7/8" OD x 120" pipes	SFG23RHDX-15-5-120
G22 Series Medium Capacity Sector Frames (with extended spine for RRU Mounting)		
G22RHDX Tower Sector Frame Single Sector 11' Face	None	SFG22RHDX-11-B
G22RHDX Tower Sector Frame Single Sector 13' Face	None	SFG22RHDX-13-B
	(4) 2-7/8" OD x 120" pipes	SFG22RHDX-13-4-120
G22RHDX Tower Sector Frame Single Sector 15' Face	None	SFG22RHDX-15-B
	(4) 2-7/8" OD x 120" pipes	SFG22RHDX-15-4-120
	(5) 2-7/8" OD x 120" pipes	SFG22RHDX-15-5-120

PIM-GUARD® RHDX MONOPOLE SECTOR FRAMES

MONOPOLE SECTOR FRAMES 42" STANDOFF - WITH SPINE



- Extended spine relocates radios to mitigate PIM in the Hi-risk zone around antennas
- Ring mount kit: 15" to 50" monopoles

DESCRIPTION	ANTENNA PIPES INCLUDED	PART NUMBER
G23 Series High Capacity Sector Frames (with extended spine for RRU Mounting)		
G23RHDX Monopole Sector Frame Three Sector 13' Face	None	MCG23RHDX-13MB
G23RHDX Monopole Sector Frame Three Sector 15' Face	None	MCG23RHDX-15MB
	(12) 2-7/8" OD x 120" pipes	MCG23RHDX-15M12120
	(15) 2-7/8" OD x 120" pipes	MCG23RHDX-15M15120
G22 Series Medium Capacity Sector Frames (with extended spine for RRU Mounting)		
G22RHDX Monopole Sector Frame Three Sector 11' Face	(9) 2-7/8" OD x 120" pipes	MCG22RHDX-11M9120
G22RHDX Monopole Sector Frame Three Sector 13' Face	None	MCG22RHDX-13MB
	(12) 2-7/8" OD x 120" pipes	MCG22RHDX-13M12120
G22RHDX Monopole Sector Frame Three Sector 15' Face	None	MCG22RHDX-15MB
	(12) 2-7/8" OD x 120" pipes	MCG22RHDX-15M12120
	(15) 2-7/8" OD x 120" pipes	MCG22RHDX-15M15120

PIM-GUARD® HDX TOWER SECTOR FRAMES

TOWER SECTOR FRAMES 42" STANDOFF - NO SPINE


- Tapered clamps up to 8" tower leg



DESCRIPTION	ANTENNA PIPES INCLUDED	PART NUMBER
G22HDX Tower Sector Frame Single Sector 11' Face	None	SFG22HDX-11-B
	(3) 2-7/8" OD x 120" pipes	SFG22HDX-11-3-120
G22HDX Tower Sector Frame Single Sector 13' Face	None	SFG22HDX-13-B
	(4) 2-7/8" OD x 120" pipes	SFG22HDX-13-4-H10
G22HDX Tower Sector Frame Single Sector 15' Face	None	SFG22HDX-15-B
	(4) 2-7/8" OD x 120" pipes	SFG22HDX-15-4-H10
	(5) 2-7/8" OD x 120" pipes	SFG22HDX-15-5-WLL

PIM-GUARD® HDX MONOPOLE SECTOR FRAMES

MONOPOLE SECTOR FRAMES 42" STANDOFF - NO SPINE




- Ring mount kit: 15" to 50" monopoles

DESCRIPTION	ANTENNA PIPES INCLUDED	PART NUMBER
G22HDX Monopole Sector Frame Three Sector 11' Face	None	MCG22HDX-11M-B
	(9) 2-7/8" OD x 120" pipes	MCG22HDX-11-9-120
G22HDX Monopole Sector Frame Three Sector 13' Face	None	MCG22HDX-13M-B
	(12) 2-7/8" OD x 120" pipes	MCG22HDX13-12-H10
G22HDX Monopole Sector Frame Three Sector 15' Face	None	MCG22HDX-15M-B
	(12) 2-7/8" OD x 120" pipes	MCG22HDX15-12-H10
	(15) 2-7/8" OD x 120" pipes	MCG22HDX15-15-WLL

MP-PP MONOPOLE PLATFORMS

- PIM Optimized Monopole Platform with wider face enables increased antenna-to-antenna spacing and includes an innovative 'mini-kicker' with single point monopole attachment
- Innovative new Adjustable Triangle design enables RRU Mounting to relocate radios away from antennas & ensure spacing between adjacent sectors is fixed regardless of monopole diameter
- Ring mount kit:
Three Sector: 12" to 45" monopoles
Four Sector: 15" to 45" monopoles



DESCRIPTION	ANTENNA PIPES INCLUDED	PART NUMBER
MP-PP Monopole Platform - Three Sector		
MP-PP Monopole Platform Three Sector 13' Face	None	MP-PP13M-B
	(12) 2-7/8" OD x 96" pipes	MP-PP13M-12C-96
	(12) 2-7/8" OD x 126" pipes	MP-PP13M-12C-126
MP-PP Monopole Platform Three Sector 15' Face	None	MP-PP15M-B
	(12) 2-7/8" OD x 96" pipes	MP-PP15M-12C-96
	(12) 2-7/8" OD x 126" pipes	MP-PP15M-12C-126
	(15) 2-7/8" OD x 96" pipes	MP-PP15M-15C-96
	(15) 2-7/8" OD x 126" pipes	MP-PP15M-15C-126
MP-PP Monopole Platform - Four Sector		
MP-PP Monopole Platform Four Sector 13' Face	None	MP-PP13M4-B
	(12) 2-7/8" OD x 120" pipes	MP-PP13M4-12C-120
	(16) 2-7/8" OD x 120" pipes	MP-PP13M4-16C-120
MP-PP Monopole Platform Four Sector 15' Face	None	MP-PP15M4-B
	(16) 2-7/8" OD x 120" pipes	MP-PP15M4-16C-120
	(20) 2-7/8" OD x 120" pipes	MP-PP15M4-20C-120

PIM-GUARD® SKEW FIGHTER

- Adjust out to 48"
- Supports up to 20 degrees of skew adjustment
- Infinitely adjustable between 0 and 48" of standoff



DESCRIPTION	PART NUMBER
PIM-Guard® Skew Fighter 10-20 degree	860678540
PIM-Guard® Skew Fighter Tie back kit	SKA-TBK

PIM-GUARD® OFFSET CROSSOVER PLATE


- Allows for current mounts to upgraded to accommodate new antenna spacing standards
- Allow obstruction to be avoided
- Allows antenna pipes to be extended past the end of the mount (to achieve spacing standard)
- Accommodates 2-7/8" to 2-7/8" out of the box. Can support 2-3/8" pipes with additional U-bolts
- Each kit supports (1) antenna pipe
- Includes top and bottom plates
- Can be used in center or at ends of mount



DESCRIPTION	PART NUMBER
PIM-Guard® Offset Crossover Plate	XP-2525-OFF-2

RADIO MOUNTS


DESCRIPTION	PART NUMBER
APEX Radio Mounts - RRH mount, 4 radios	
Mounts to 3.5" Round Members Designed for G2RHDX Frames with Extended Spine	RR-APEX4
	RR-APEX4-E
Back to Back Dual Radio Mounts	
Fast Access; round legs up to 5-5/8" OD, 90° angle up to 4-1/2"	RR-FA2
Fast Access RRU Mount Kit for Back-to-Back (B2B) Mounting of (2) RRUs to Round, Straight or Tapered members. With interface plate	RR-FA2-A
PIM-Guard® dual radio mount with lift for Ericsson Radios	RR-FA4
Interface Plate Radio Mount interface plate to enable Ericsson radios to attach to standard radio mounts	860677769-001
RRU Mount Upgrade Kit for Mounting of (2) additional RRUs on RR-FA4 or RR-APEX4-E RRU Mounts	RR-FA4-AMK-001



APEX Radio Mount
(RR-APEX4)



Fast Access Radio
Mount
(RR-FA2)



RRU Mount, Ericsson
(RR-FA4)



POLYMER PIM-GUARD® ANTENNA AND RRU CABLE SUPPORT BRACKETS


ANDREW was the first to develop the industry's first all-resin, PIM-Guard® Antenna & Radio Cable Support brackets to provide PIM-fighting interference protection in the high-risk zone around the antenna. Recyclable, lightweight and weatherproof, these "PIM-Fighter" brackets were designed to work with our PIM-Guard® SnapTak® hangers, enabling higher cable densities and leaving PIM nowhere to hide!

FEATURES

- Port counts from 4- to 38-ports plus stackable SnapTak® hangers to support evolving needs
- Part of an end-to-end PIM-Guard® strategy for flexible network growth
- New 22-inch wide and reverse orientation options for expanded applications

DESCRIPTION	CABLE RUNS QUANTITY	3/4" HOLE QUANTITY	PART NUMBER
Polymer PIM-Guard® Antenna and RRU Cable Support Brackets Number of positions for stackable hangers (up to 2 per position) Round member mounting; 2.4"-3.0"			
38 Postions - Extra wide plus Reverse orientation for use under both Antenna and RRU	38	38	PGP-CS38-R
34 Positions - Extra wide Dual Bracket	34	34	PGP-CS34L
20 Postions - Reverse orientation for use under RRU	20	20	PGP-CS20-R
18 Positions - Extra wide Bracket	18	18	PGP-CS18L
18 Positions	18	18	PGP-CS18
16 Positions - Extra wide Bracket	16	16	PGP-CS16L
16 Positions	16	16	PGP-CS16
12 Positions	12	12	PGP-CS12
10 Positions	10	10	PGP-CS10
8 Positions	8	8	PGP-CS08
4 Positions	4	4	PGP-CS04

NOTE: Also Available in Kits of 6 and 12



HEAVY DUTY ROOF FRAMES

DESCRIPTION	ANTENNA PIPES INCLUDED	PART NUMBER
Heavy Duty Non-penetrating Roof Frames		
RT Series Rooftop Sector Frame Single Sector 11' Face	None	RT-NF11-B
	(3) 2-7/8" OD x 120" pipes	RT-NF11-3-120
RT Series Rooftop Sector Frame Single Sector 13' Face	None	RT-NF13-B
	(4) 2-7/8" OD x 120" pipes	RT-NF13-4-120
RT Series Rooftop Dual Sector Frame Single Sector 15' Face	None	RT-DF15-B
	(4) 2-7/8" OD x 120" pipes	RT-DF15-4-120
	(5) 2-7/8" OD x 120" pipes	RT-DF15-5-120
RRU Mount Kit for Non-Penetrating Roof Frames		
RRU Mount Kit Includes (4) Unistruts for Mounting		RT-NFR4



Heavy Duty Non-Penetrating Roof Frame



RRU Mount Kit for Non-Penetrating Roof Frame

MONOPOLE PLATFORMS

Atlas Monopole Platform

MCG23RHDX Monopole Applications

MCG23HDX Monopole Applications

MCG22HD Monopole Frame Applications

MC-HP 3-Sector High Capacity Monopole Platform

MC-CP 3-Sector Medium Capacity Monopole Platform

MC-PK 3-Sector Low Profile Monopole Platform

Double T-arms kits

4-sector Atlas MC-PM series—high-capacity platform kits

6-sector monopole platforms kits

FOR OUR FULL MONOPOLE PRODUCT PORTFOLIO,
PLEASE VISIT OUR MONOPOLE MOUNTS SITE OR
FOLLOW THE QR CODE:


[Monopole mounts](#) | [ANDREW](#)



MCG23RHDX MONOPOLE SECTOR FRAMES

The Heavy Duty G23RHDX Series features an extended 10-foot spine design that provides radio mounting locations farther away from antennas—which not only reduces PIM by distancing radios from the antenna near field but also increases mount stability and reduces the potential for vibration-induced PIM.

- Decreased PIM from radio relocation
- Increased versatility and stability
- Better load management
- Decreased antenna pipe loading
- Use with the RR-APEX4 RRU mount for up to 4 radios.
- 42" stand-off with spine




DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
MCG23RHDX Spine Series (RRU Relocation Heavy Duty Xtreme High Capacity Sector Frame) –Meets TIA 5053 standard			
RRU Relocation Heavy Duty Xtreme Heavy Capacity Sector Frame	10' face width	(9) 2-7/8" OD X 120" Antenna Pipe	MCG23RHDX-10M9120
		(9) 2-7/8" OD X 96" Antenna Pipe	MCG23RHDX-10M996
	12' face width	(12) 2-7/8" OD X 120" Antenna Pipe	MCG23RHDX-12M12120
		(12) 2-7/8" OD X 96" Antenna Pipe	MCG23RHDX-12M1296
	14' face width	(12) 2-7/8" OD X 120" Antenna Pipe	MCG23RHDX-14M12120
		(12) 2-7/8" OD X 96" Antenna Pipe	MCG23RHDX-14M1296
		(15) 2-7/8" OD X 120" Antenna Pipe	MCG23RHDX-14M15120
		(15) 2-7/8" OD X 96" Antenna Pipe	MCG23RHDX-14M1596

MCG23HDX MONOPOLE SECTOR FRAMES

G23 Series Monopole & Tower Sector Frames feature our highest capacity sector frame option when heavy duty load conditions are required. Offerings include 10ft, 12ft, and 14ft face widths with up to 5 antenna pipes per sector and feature double tie-backs. The G23 Family includes:

- MCG23HDX: Monopole Sector Frames with 2-7/8" OD Face Pipes & Antenna Pipes
- SFG23HDX: Tower Sector Frames with 2-7/8" OD Face Pipes & Antenna Pipes

MCG23HDX Sector Frame
MCG23HDX-10M996




DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
MCG23HDX Series (Heavy Duty Xtreme High Capacity Sector Frame)—Meets TIA 5053 standard			
Heavy Duty Xtreme High Capacity Sector Frame	10' Face Width	(9) 2-7/8" OD X 96" Antenna Pipe	MCG23HDX-10M996
		(9) 2-7/8" OD X 120" Antenna Pipe	MCG23HDX-10M9120
		(12) 2-7/8" OD X 96" Antenna Pipe	MCG23HDX-10M1296
		(12) 2-7/8" OD X 120" Antenna Pipe	MCG23HDX-10M12120
	12' Face Width	(9) 2-7/8" OD X 96" Antenna Pipe	MCG23HDX-12M996
		(9) 2-7/8" OD X 120" Antenna Pipe	MCG23HDX-12M9120
		(12) 2-7/8" OD X 96" Antenna Pipe	MCG23HDX-12M1296
		(12) 2-7/8" OD X 120" Antenna Pipe	MCG23HDX-12M12120
	14' Face Width	(12) 2-7/8" OD X 96" Antenna Pipe	MCG23HDX-14M1296
		(12) 2-7/8" OD X 120" Antenna Pipe	MCG23HDX-14M12120
		(15) 2-7/8" OD X 96" Antenna Pipe	MCG23HDX-14M1596
		(15) 2-7/8" OD X 120" Antenna Pipe	MCG23HDX-14M15120

MCG22HD MONOPOLE SECTOR FRAMES

G22 Series Monopole & Tower Sector Frames feature a medium duty sector frame option for a tailored solution when heavy duty load conditions are not required. Offerings include 10ft, 12ft, and 14ft face widths and feature double tie-backs.

MCG22HD Sector Frame
MCG22HD-12M-12-96



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
MCG22HD Series (Heavy Duty High Capacity 3-Sector Monopole Frame)—Meets TIA 5053 standard			
Heavy Duty Capacity 3-Sector Monopole Frame	10' Face Width	(9) 2-3/8"OD X 126" Antenna Pipe	MCG22HD-10M-9-126
		(9) 2-3/8"OD X 96" Antenna Pipe	MCG22HD-10M-9-96
	12' Face Width	(12) 2-3/8"OD X 126" Antenna Pipe	MCG22HD-12M-12-126
		(12) 2-3/8"OD X 96" Antenna Pipe	MCG22HD-12M-12-96

DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
MCG22HDX Series (Heavy Duty Xtreme Capacity Frame 3-Sector Monopole Frame)—Meets TIA 5053 standard			
Heavy Duty Xtreme Capacity 3-Sector Monopole Frame	12' Face Width	(12) 2-7/8"OD X 96" Antenna Pipe	MCG22HDX-12M-12-96
		(12) 2-7/8"OD X 126" Antenna Pipe	MCG22HDX-12M12-126
	14' Face Width	(12) 2-7/8"OD X 96" Antenna Pipe	MCG22HDX-14M-12-96
		(12) 2-7/8"OD X 126" Antenna Pipe	MCG22HDX-14M12-126


ATLAS MONOPOLE PLATFORM

ATLAS: STRONG ENOUGH TO CARRY YOU INTO THE FUTURE

ANDREW's innovative Atlas Monopole Platform solution provides the high-load capacity and performance that simplifies analysis, construction and installation, and ensures your tri-sector monopole deployment meets the latest TIA standards.

The design uses high-strength rectangular standoff tubes to create a heavy-duty standoff system. The simple design enables the use of commercially available software such as RISA-3D for fast and simple analysis.

Another feature of the mounting structure is the uniquely designed pivot brackets that replace the traditional clip angles. Typically, the old clip angles are made from bent steel plates whose structural integrity can be compromised by lateral wind loads. The new pivot brackets feature a thicker dual flange that compensates for the stress at the weak axis.




DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
Atlas Ultra Heavy Loading (available on 12"-45" dia mounting)—Meets TIA 5053 standard			
Platform with Handrail and Antenna Pipes	10' face width	(12) 2-7/8" OD X 126" Antenna Pipe	MC-PM10M-12C-126
		(12) 2-7/8" OD X 96" Antenna Pipe	MC-PM10M-12C-96
	12' face width	(12) 2-7/8" OD X 126" Antenna Pipe	MC-PM12M-12C-126
		(12) 2-7/8" OD X 96" Antenna Pipe	MC-PM12M-12C-96
	14' face width	(12) 2-7/8" OD X 126" Antenna Pipe	MC-PM14M-12C-126
		(12) 2-7/8" OD X 96" Antenna Pipe	MC-PM14M-12C-96

MC-HP 3-SECTOR HIGH CAPACITY MONOPOLE PLATFORM

The MC-HP Series High Capacity Monopole Platforms feature a ring mount for monopoles ranging from 12” to 50” along with toprail and work platform for installers plus a kicker reinforcement kit for maximum loading. Offerings include 12ft, and 14ft face widths.

- Designed for 12” to 50” Monopoles
 - Includes handrail, work platform, and kicker reinforcement kit
- Available as Base Kit or Full Kit with Antenna Pipes
 - 3 Sector Solutions



MC-HP Series High Capacity Co-Location Platform
Platform With Handrail and Kicker Kit


DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
Multi-Sector Monopole Platform—Meets TIA 5053 standard			
3-Sector High Capacity Monopole Platform - Includes platform, toprail and kicker supports			
Platform Base, 12 in to 50 in OD (Pipe Ordered Separately)	12' Face Width	None	MC-HP12M-B
Platform Kit with Handrail and Kicker, 12 in to 50 in OD		(12) 2-3/8" OD X 96" Antenna Pipe	MC-HP12M-12-96
Platform Kit with Handrail and Kicker, 12 in to 50 in OD		(12) 2-3/8" OD X 126" Antenna Pipe	MC-HP12M-12-126
Platform Base, 12 in to 50 in OD (Pipe Ordered Separately)	14' Face Width	None	MC-HP14M-B
Platform Kit with Handrail and Kicker, 12 in to 50 in OD		(12) 2-3/8" OD X 96" Antenna Pipe	MC-HP14M-12-96
Platform Kit with Handrail and Kicker, 12 in to 50 in OD		(12) 2-3/8" OD X 126" Antenna Pipe	MC-HP14M-12-126

MC-CP 3-SECTOR MEDIUM CAPACITY MONOPOLE PLATFORM

The MC-CP Series Medium Capacity Monopole Platforms feature a ring mount for monopoles ranging from 12” to 50” along with a toprail and work platform for installers. Offerings include 12ft, and 14ft face widths. This Monopole Platform Series does not include a support kicker.

- Designed for 12” to 50” Monopoles
- Includes both toprail and work platform
- Available as Base Kit or Full Kit with Antenna Pipes
- 3 Sector Solutions

MC-CP Series Medium Capacity Monopole Platform
Co-Location Platform



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
Multi-Sector Monopole Platform—Meets TIA 5053 standard			
3-Sector Medium Capacity Monopole Platform Includes: Platform and toprail			
Platform Base with handrail, 12 in to 50 in OD (pipe ordered separately)	12' Face Width	None	MC-CP12M-B
Platform with handrail, 12 in to 50 in OD		(12) 2-3/8" OD X 96" Antenna Pipe	MC-CP12M-12-96
Platform with handrail, 12 in to 50 in OD		(12) 2-3/8" OD X 126" Antenna Pipe	MC-CP12M-12-126
Platform Base with handrail, 12 in to 50 in OD (pipe ordered separately)	14' Face Width	None	MC-CP14M-B
Platform with handrail, 12 in to 50 in OD		(12) 2-3/8" OD X 96" Antenna Pipe	MC-CP14M-12-96
Platform with handrail, 12 in to 50 in OD		(12) 2-3/8" OD X 126" Antenna Pipe	MC-CP14M-12-126

MC-PK 3-SECTOR LOW PROFILE MONOPOLE PLATFORM

The MC-PK Series Light Capacity Monopole Platforms feature a ring mount for monopoles ranging from 12” to 50” along with a work platform for installers. Offerings include 8ft,10ft, 12ft, and 14ft face widths. This Monopole Platform Series does not include toprail or support kicker.

- Designed for 12” to 50” Monopoles
- Available as Base Kit or Full Kit with Antenna Pipes
- 3 Sector Solutions

MC-PK Series Low Profile
Co-Location Platform




DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
Multi-Sector Monopole Platform—Meets TIA 5053 standard			
3-Sector Low-Profile Monopole Platform ONLY - toprail not included			
Platform with handrail, 15 in to 38 in OD	8’ Face Width	(9) 2-3/8” OD X 72” Antenna Pipe	MC-PK8-C
Platform with handrail, 15 in to 50 in OD	10’ Face Width	(12) 2-3/8” OD X 96” Antenna Pipe	MC-PK10-C
Platform Base Only, 12 in to 50 in OD (pipe ordered separately)	12’ Face Width	None	MC-PK12M-B
Platform, 12 in to 50 in OD		(12) 2-3/8” OD X 96” Antenna Pipe	MC-PK12M-12-96
Platform, 12 in to 50 in OD		(12) 2-3/8” OD X 126” Antenna Pipe	MC-PK12M-12-126
Platform Base Only, 12 in to 50 in OD (pipe ordered separately)	14’ Face Width	None	MC-PK14M-B
Platform, 12 in to 50 in OD		(12) 2-3/8” OD X 96” Antenna Pipe	MC-PK14M-12-96
Platform, 12 in to 50 in OD		(12) 2-3/8” OD X 126” Antenna Pipe	MC-PK14M-12-126

DOUBLE T-ARMS KITS


Heavy-duty double T-Arm mounts are designed for monopole applications and are ideal for Monopine and other concealment applications.

- The MTC41075 offers a four-sector version with up to 10-foot vertical stand-off
- The MC-KD offers Three-sectors and features sturdy corner tie-backs for added stability

3 Sector Double T-Arm
MC-KD14M-12-WLL




4 Sector Double T-Arm
MTC4107S




DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
Double T-Arm Kits—Meets TIA 5053 standard			
4-Sector, azimuth adjustable faces for more compatibility	6' Face Width	(12) 2-3/8" OD x 96" Antenna Pipe	MTC4107S
3-Sector, Heavy duty with corner tie-backs, Includes (2) 12"-50" OD ringmounts	14' Face Width	(12) 2-7/8" OD x 120" Antenna Pipe	MC-KD14M-12-H10
3-Sector, Heavy duty with corner tie-backs, Includes (2) 15"-50" OD ringmounts		(15) 2-7/8" OD x 120" Antenna Pipe	MC-KD14M-15-WLL

4-SECTOR ATLAS MC-PM SERIES—HIGH-CAPACITY PLATFORM KITS


MONOPOLE DIAMETER	TOP RAIL KIT INCLUDED	ANTENNA PIPES INCLUDED	CROSSOVERS INCLUDED	FACE PIPE LENGTH	FACE PIPE DIAMETER	ANTENNA PIPES INCLUDED	ANTENNA PIPE DIAMETER	PART NUMBER
15"-45"	NO	NO	NO	14'6"	2-7/8"	0	N/A	MC-PM14M4-B
15"-45"	NO	YES	YES	14'6"	2-7/8"	16	2-7/8"	MC-PM14M4-16-96
15"-45"	NO	YES	YES	14'6"	2-7/8"	16	2-7/8"	MC-PM14M4-16-126
15"-45"	NO	YES	YES	14'6"	2-7/8"	16	2-7/8"	MC-PM14M4-16-120
15"-45"	NO	NO	NO	12'6"	2-7/8"	0	N/A	MC-PM12M4-B
15"-45"	NO	YES	YES	12'6"	2-7/8"	16	2-7/8"	MC-PM12M4-16-96
15"-45"	NO	YES	YES	12'6"	2-7/8"	16	2-7/8"	MC-PM12M4-16-126
15"-45"	NO	YES	YES	12'6"	2-7/8"	16	2-7/8"	MC-PM12M4-16-120
15"-45"	NO	NO	NO	10'6"	2-7/8"	0	N/A	MC-PM10M4-B
15"-45"	NO	YES	YES	10'6"	2-7/8"	16	2-7/8"	MC-PM10M4-16-96
15"-45"	NO	YES	YES	10'6"	2-7/8"	16	2-7/8"	MC-PM10M4-16-126
15"-45"	NO	YES	YES	10'6"	2-7/8"	16	2-7/8"	MC-PM10M4-16-120



Atlas MC-PM Series—high-capacity
platform kits
(MC-PM10M4-16-96)



Atlas MC-PM Series—high-capacity
platform kits
(MC-PM12M4-16-96)



Atlas MC-PM Series—high-capacity
platform kits
(MC-PM14M4-B)

4-SECTOR MC-PK SERIES—BASE PLATFORM KITS


MONOPOLE DIAMETER	TOP RAIL KIT INCLUDED	ANTENNA PIPES INCLUDED	CROSSOVERS INCLUDED	FACE PIPE LENGTH	FACE PIPE DIAMETER	ANTENNA PIPES INCLUDED	ANTENNA PIPE DIAMETER	PART NUMBER
10"-30"	NO	NO	NO	14'6"	3-1/2"	0	N/A	MC-PK14S4-B
30"-60"	NO	NO	NO	14'6"	3-1/2"	0	N/A	MC-PK14L4-B
10"-30"	NO	NO	NO	12'6"	3-1/2"	0	N/A	MC-PK12S4-B
30"-60"	NO	NO	NO	12'6"	3-1/2"	0	N/A	MC-PK12L4-B
30"-60"	YES	YES	YES	12'6"	3-1/2"	12	2-3/8"	MC-PK12L4-12-96

4-SECTOR MCHD-PK SERIES—FULL PLATFORM KITS

MONOPOLE DIAMETER	TOP RAIL KIT INCLUDED	ANTENNA PIPES INCLUDED	CROSSOVERS INCLUDED	FACE PIPE LENGTH	FACE PIPE DIAMETER	ANTENNA PIPES INCLUDED	ANTENNA PIPE DIAMETER	PART NUMBER
10"-30"	YES	YES	YES	14'6"	3-1/2"	14	2-7/8"	MCHD-PK14S4-12-96
30"-60"	YES	YES	YES	14'6"	3-1/2"	14	2-7/8"	MCHD-PK14L4-12-96
10"-30"	YES	YES	YES	12'6"	3-1/2"	12	2-7/8"	MCHD-PK12S4-12-96
30"-60"	YES	YES	YES	12'6"	3-1/2"	12	2-7/8"	MCHD-PK12L4-12-96

CUSTOM MONOPOLE PLATFORMS - 4 SECTOR KIT


DESCRIPTION	MONOPOLE DIAMETER	PIPES INCLUDED	PART NUMBER
Custom Monopole Platform - 4 Sector Kit			
12' 6" Face	10" to 30"	(16) 2.88" OD 96" Pipes	MTC3946HD



MCHD-PK Series—full platform kits
(MCHD-PK14S4-12-96)



MC-PK Series—base platform kits
(MC-PK12L4-12-96)



MC-PK Series—base platform kits
(MC-PK14S4-B)

OPTIONAL FOUR-SECTOR PLATFORM ACCESSORY KITS

SUITABLE FOR PLATFORM SERIES	ANTENNA PIPE MOUNT SIZE	ANTENNE PIPE MOUNT QTY	TOP RAIL LENGTH	TOP RAIL DIAMETER	TOP RAIL KITS
MCHD	2-7/8"	12	12'6"	2-7/8"	MCHD-TR4-12
MCHD	2-7/8"	12	14'6"	2-7/8"	MCHD-TR4-14
MCPK / MCPM	N/A	0	10'6"	2-7/8"	MC4-HR25X-10-B
MCPK / MCPM	2-7/8"	16	10'6"	2-7/8"	MC4-HR25X-10-16
MCPK / MCPM	N/A	0	12'6"	2-7/8"	MC4-HR25X-12-B
MCPK / MCPM	2-7/8"	16	12'6"	2-7/8"	MC4-HR25X-12-16
MCPK / MCPM	N/A	0	14'6"	2-7/8"	MC4-HR25X-14-B
MCPK / MCPM	2-7/8"	16	14'6"	2-7/8"	MC4-HR25X-14-16



Optional four-sector platform accessory kits
(MC4-HR25X-10-B)



Optional four-sector platform accessory kits
(MCHD-TR4-12)

6-SECTOR MONOPOLE PLATFORMS KITS

6-Sector Platform Kit High Capacity
MTC3984



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
6-Sector Monopole Platform			
Base Platform with Kicker Kit, 12 in to 50 in OD	(3) 6' Face Width	(18) 2 3/8" OD x 96" Antenna Pipe	MTC3984
	(3) 8' Face Width		

TOWER APPLICATIONS

SFG23RHDX Tower Applications

SFG23HDX Tower Applications

SFG22HD & SFG22HDX Tower Applications

SFG21HD Tower Applications

FOR OUR FULL TOWER PRODUCT PORTFOLIO,
PLEASE VISIT OUR TOWER MOUNTS SITE OR
FOLLOW THE QR CODE:

[Tower mounts | ANDREW](#)




SFG23RHDX TOWER APPLICATIONS

The Heavy Duty G23RHDX Series features an extended 10-foot spine design that provides radio mounting locations farther away from antennas—which not only reduces PIM by distancing radios from the antenna near field but also increases mount stability and reduces the potential for vibration-induced PIM.

- Decreased PIM from radio relocation
- Increased versatility and stability
- Better load management
- Decreased antenna pipe loading
- Use with the RR-APEX4 RRU mount for up to 4 radios

SFG23RHDX sector frame
SFG23RHDX-10-3-120




DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
SFG23RHDX Spine Series (RRU Relocation Heavy Duty Xtreme High Capacity Sector Frame) —Meets TIA 5053 standard			
RRU Relocation Heavy Duty Xtreme Heavy Capacity Sector Frame	10' face width	(3) 2-7/8" OD X 120" Antenna Pipe	SFG23RHDX-10-3-120
		(4) 2-7/8" OD X 120" Antenna Pipe	SFG23RHDX-10-4-120
	12' face width	(4) 2-7/8" OD X 120" Antenna Pipe	SFG23RHDX-12-4-120
		(5) 2-7/8" OD X 120" Antenna Pipe	SFG23RHDX-12-5-120
	14' face width	(4) 2-7/8" OD X 120" Antenna Pipe	SFG23RHDX-14-4-120
		(5) 2-7/8" OD X 120" Antenna Pipe	SFG23RHDX-14-5-120

SFG23HDX TOWER APPLICATIONS

G23 Series Monopole & Tower Sector Frames feature our highest capacity sector frame option when heavy duty load conditions are required. Offerings include 10ft, 12ft, and 14ft face widths with up to 5 antenna pipes per sector and feature double tie-backs.

SFG23HDX Sector Frame
SFG23HDX-10-4-96



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
SFG23HDX Series (Heavy Duty Xtreme High Capacity Sector Frame)—Meets TIA 5053 standard			
Heavy Duty Xtreme High Capacity Sector Frame	10' Face Width	(3) 2-3/8" OD X 96" Antenna Pipe	SFG23HDX-10-3-96
		(4) 2-3/8" OD X 126" Antenna Pipe	SFG23HDX-10-4-126
		(4) 2-3/8" OD X 96" Antenna Pipe	SFG23HDX-10-4-96
	12' Face Width	(3) 2-7/8" OD X 120" Antenna Pipe	SFG23HDX-12-3-120
		(4) 2-7/8" OD X 120" Antenna Pipe	SFG23HDX-12-4-120
		(4) 2-7/8" OD X 126" Antenna Pipe	SFG23HDX-12-4-126
		(4) 2-7/8" OD X 96" Antenna Pipe	SFG23HDX-12-4-96
	14' Face Width	(4) 2-7/8" OD X 120" Antenna Pipe	SFG23HDX-14-4-120
		(4) 2-7/8" OD X 126" Antenna Pipe	SFG23HDX-14-4-126
		(4) 2-7/8" OD X 96" Antenna Pipe	SFG23HDX-14-4-96
		(5) 2-7/8" OD X 126" Antenna Pipe	SFG23HDX-14-5-126
		(5) 2-7/8" OD X 96" Antenna Pipe	SFG23HDX-14-5-96

SFG22HD & SFG22HDX TOWER APPLICATIONS

G22 Series Monopole & Tower Sector Frames feature a medium duty sector frame option for a tailored solution when heavy duty load conditions are not required. Offerings include 10ft, 12ft, and 14ft face widths and feature double tie-backs.

SFG22HD Sector Frame
SFG22HD-10-3-96



SFG22HDX Sector Frame
SFG22HDX-12-4-96



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
SFG22HD Series (Heavy Duty Capacity Frame)—Meets TIA 5053 standard			
High Duty Capacity Sector Frame	10' Face Width	(3) 2-3/8" OD X 126" Antenna Pipe	SFG22HD-10-3-126
		(3) 2-3/8" OD X 96" Antenna Pipe	SFG22HD-10-3-96
	12' Face Width	(4) 2-3/8" OD X 126" Antenna Pipe	SFG22HD-12-4-126
		(4) 2-3/8" OD X 96" Antenna Pipe	SFG22HD-12-4-96

DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
SFG22HDX Series (Heavy Duty Xtreme Capacity Frame)—Meets TIA 5053 standard			
Heavy Duty Xtreme High Capacity 3-Sector Tower Frame	12' Face Width	(4) 2-3/8" OD X 96" Antenna Pipe	SFG22HDX-12-4-96
		(4) 2-3/8" OD X 126" Antenna Pipe	SFG22HDX-12-4-126
	14' Face Width	(4) 2-3/8" OD X 96" Antenna Pipe	SFG22HDX-14-4-96
		(4) 2-3/8" OD X 126" Antenna Pipe	SFG22HDX-14-4-126

SFG21HD TOWER APPLICATIONS

G21 Series Tower Sector Frames feature a lighter weight frame combined with the sturdy G2 Series base design for an economical option when heavy duty load conditions are not required.

- Offerings limited to 10ft and 12ft face widths
- Feature a single tie-back
- 2-7/8" OD Face Pipes & 2-3/8" OD Antenna Pipes

SFG21HD Sector Frame
SFG21HD-10-4-96



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER
SFG21 Series (Standard Light Capacity Frame)—Meets TIA 5053 standard			
Standard Light Capacity Sector Frame	10' Face Width	(3) 2-3/8" OD X 96" Antenna Pipe	SFG21HD-10-3-96
		(3) 2-3/8" OD X 126" Antenna Pipe	SFG21HD-10-3-126
		(4) 2-3/8" OD X 96" Antenna Pipe	SFG21HD-10-4-96
		(4) 2-3/8" OD X 126" Antenna Pipe	SFG21HD-10-4-126
	12' Face Width	(3) 2-3/8" OD X 96" Antenna Pipe	SFG21HD-12-3-96
		(3) 2-3/8" OD X 126" Antenna Pipe	SFG21HD-12-3-126
		(4) 2-3/8" OD X 96" Antenna Pipe	SFG21HD-12-4-96
		(4) 2-3/8" OD X 126" Antenna Pipe	SFG21HD-12-4-126

REINFORCEMENT KITS AND MODs

Hoisting Grip Anchors

Safety Climb Cable Guides

Tower Reinforcement Kits

Monopole Load Distribution Reinforcement Kits

VZWSmart Monopole

VZWSmart Tower

VZWSmart Hardware Kits

FOR OUR FULL REINFORCEMENT KIT PRODUCT
PORTFOLIO, PLEASE VISIT OUR WEBSITE OR
FOLLOW THE QR CODE:

[Structural supports](#) | [ANDREW](#)



HOISTING GRIP ANCHORS

- Solves the cable attachment problem with a purpose built product
- Can be used with any cable type
- Variants supporting:
 - Guyed Towers
 - Monopole
 - Cable Ladders
- Existing cable ladders can be upgraded
- Easy bolt on upgrade

DESCRIPTION	APPLICATION	PART NUMBER
MONOPOLE ANCHOR for 10"-35" OD Poles	Monopole	860669616-1035
OVER-TOP GRIP-ANCHOR for 860669616-1035	Monopole	860669616-1035-T
MONOPOLE, PORT ANCHOR	Monopole	MPH-001
GRIP ANCHOR for PIPE 1.5"-8" OD	Monopole / Pipe / Small Cell Pole	860680188-006
GRIP ANCHOR, 6-hole CABLE LADDER	Cable Ladder	860674608-006
GRIP ANCHOR, 9-hole CABLE LADDER	Cable Ladder	860674608-009
GRIP ANCHOR, 12-hole CABLE LADDER	Cable Ladder	860674608-012
GRIP ANCHOR,CABLE LADDER,40",UNIVERSAL	Cable Ladder	860674608-U
GRIP ANCHOR,GUYED-TOWER,36" FACE	Guyed and Straight Section Self Support	860674607-036
GRIP ANCHOR,GUYED-TOWER,48" FACE	Guyed and Straight Section Self Support	860674607-048
GRIP ANCHOR,GUYED-TOWER,41" or 42" FACE	Guyed and Straight Section Self Support	860674607-041-42



SAFETY CLIMB CABLE GUIDES

ANDREW's Safety Climb Cable guides provide attachment points on Monopoles to help route and protect wire cables.



DESCRIPTION	MOUNTING	PART NUMBER
Safety Climb Cable Guides		
Safety Climb Cable Guide Clamp	Clamp Only	SCG-001
Safety Climb Cable Guide for Round Member Attachment	Round members:1.5"-4"	SCG-002
Safety Climb Cable Guide for Round and Angle Member Attachment	Round members:1.5"-8", 90 degree angle: up to 6" 60 degree angle: up to 8"	SCG-003
Safety Climb Cable Guide for Square Member Attachment	Square members: up to 6"	SCG-004
Safety Climb Cable Guide Collar Mount	ANDREW standard monopole collars such as "MC-RM1550"	SCG-005

TOWER REINFORCEMENT KITS

ANDREW offers a wide variety of Tower and Monopole antenna mount reinforcements kits to fit virtually any application. Mount reinforcement kits add extra capacity to existing tower or monopole frames to enable mounting of additional equipment without swapping out the entire frame — saving both installation time and money.


V Stabilizer
VSR-TS-B



Dual V Stabilizer
VSRDual-TS-B



Interlocking Channel Supports
VSRC-TS-B



DESCRIPTION	MOUNTING	PART NUMBER
Interlocking Channel Supports Adjustable from 34.5" to 57.5"	Small leg size (2" - 8")	VSRC-TS-B
	Large leg size (8" - 16")	VSRC-TL-B
V-Stabilizer™ 48" channel supports	Small leg size (2" - 8")	VSR-TS-B
	Large leg size (8" - 16")	VSR-TL-B
V-Stabilizer™ Adjustable up to 60" angle supports	Small leg size (2" - 8")	VSRA-TS-B
	Large leg size (8" - 16")	VSRA-TL-B
Dual V-Stabilizer™ 60" pipe supports	Small leg size (2" - 8")	VSRDUAL-TS-B
Dual V-Stabilizer™ Adjustable up to 60" angle supports	Small leg size (2" - 8")	VSRDUALA-TS-B
	Large leg size (8" - 16")	VSRDUALAL-TS-B


LARGE LEG ADAPTER KITS

DESCRIPTION	PART NUMBER
Large Leg Adapter Kits Clamp system, 8" and up to 16" OD tower leg	
Single all-thread	SFG2393-LLHK
Double all-thread	SM-U2016HDG23




MONOPOLE LOAD DISTRIBUTION REINFORCEMENT KITS

ANDREW offers a wide variety of Tower and Monopole antenna mount reinforcements kits to fit virtually any application. Mount reinforcement kits add extra capacity to existing tower or monopole frames to enable mounting of additional equipment without swapping out the entire frame — saving both installation time and money.



Three Sector V-Stabilizer™ Kit
VSR-MS-B



Three Sector Load Distribution Reinforcement Kit
RK-36-3S

DESCRIPTION	MOUNTING DIAMETER	PART NUMBER
Three Sector Load Distribution Reinforcement Kits Includes: Ring mount and support arms for 3 sectors		
Interlocking Channel Supports Adjustable from 34.5" to 57.5"	15" - 50"	VSRC-MM-1550
36" Support Arm	10" - 30"	RK-36-3S
	12" - 50"	VSR-MS-B
	15" - 50"	RK-36-3M
	30" - 60"	RK-36-3L
60" Support Arm	10" - 30"	RK-60-3S
	15" - 50"	RK-60-3M
	30" - 60"	RK-60-3L
Field Adjustable 10' Support Arm	30" - 60"	MTC38523L
Four Sector Load Distribution Reinforcement Kits Includes: Ring mount and support arms for 4 sectors		
36" Support Arm	10" - 30"	RK-36-4S
	30" - 60"	RK-36-4L
60" Support Arm	10" - 30"	RK-60-4S
	30" - 60"	RK-60-4L
TOP RAIL REINFORCEMENT KIT Universal monopole platform reinforcement kit		PVS-050B-U

VZWSMART MONOPOLE

Monopole Handrail Kit
VZWSMART-PLK1



Monopole Support Arm
VZWSMART-PLK5



Monopole Collar
VZWSMART-PLK7



DESCRIPTION	PART NUMBER
VZWSmart Monopole Applications	
Hand-rail kit, 2-7/8" x 150", adjustable corner brace, Hardware for 2-7/8" Antenna Pipes	VZWSMART-PLK1
Hand-rail corner bracing kit, 2-7/8" Pipe connections, No Antenna Pipe Hardware	VZWSMART-PLK2
Hand-rail Corner bracing Kit Supports, One Corner, U-bolts for 2-7/8" Pipe, No Angle Braces Included	VZWSMART-PLK3
Kicker Support Arm, 3" x 3" x 96" Angle with Connecting Brackets and Hardware for up 3" to 6" square or 3-1/2" to 4-1/2" OD Stand-offs, 3 sectors, Collar Mount not included	VZWSMART-PLK5
Dual Pivoting Kicker Support Arms, 2-1/2"x 2-1/2" x 60"Angle with Connecting Brackets and Hardware, Collar Mount/pipe not included	VZWSMART-PLK6
Ring Mount, 12" to 45" Monopole Diameter with 6" x 6" x 5/8" bolt pattern	VZWSMART-PLK7
Hand-Rail Reinforcement Kit, Vertical, One Sector Only, attaches up to 3-1/2" OD horizontal & up to 6" square standoff	VZWSMART-PLK8
Reinforcement Arm, 3" x 3" x 72" Square Tube, Collar mount not included	VZWSMART-SFK4

VZWSMART TOWER

Stiff Arm Kit
VZWSMART-SFK1



V-Stabilizer
VZWSMART-SFK3



DESCRIPTION	PART NUMBER
VZWSmart Tower Applications	
Stiff Arm, 2-3/8" x 12 ft Pipe, Attachment Hardware, for 1-1/2" to 8" OD or 60 degree angle tower leg	VZWSMART-SFK1
V-Stabilizer for Tower, saddle clamps for 1"- 8", Dual Pivoting Angle Arms, 96" long, attaches up to 4-1/2" OD horizontals	VZWSMART-SFK3
V-Stabilizer for Small Tower Leg, Clamps for up to 3-1/2" round legs, Dual Pivoting Angle Arms, 96" long, attaches up to 4-1/2" OD horizontals	VZWSMART-SFK3-SL

VZSMART HARDWARE KITS

Pipe to Pipe Clamp
VZSMART-MKS3



Crossover plate
VZSMART-MSK1



DESCRIPTION	PART NUMBER
VZWSmart—Meets TIA 5053 standard	
Hardware Kits	
Small Cross-Over Plate, 2-3/8" or 2-7/8" Pipes	VZSMART-MSK1
Medium Cross-Over Plate, connects 2-3/8" to 2-7/8" pipes to 3-1/2" to 4" pipes	VZSMART-MSK2
Pipe to Pipe, Clamps for 1-1/2" to 4-1/2" Pipes	VZSMART-MSK3
Pipe to Pipe, Clamps, Wide, HD, for 1-1/2" to 3-1/2" Pipes, with double threaded Rod	VZSMART-MSK3D
Pipe Mount, Tapered, No U-Bolts, attaches up to 8" OD or 60 degree angle Tower Legs, For Pipes 2-3/8" to 4-1/2" OD, U-Bolts sold separately	VZSMART-MSK4
Large Cross-Over Plate, connects 2-3/8" to 2-7/8" pipes to 4" to 4-1/2" pipes	VZSMART-MSK5
Dual Cross Over Plate, Mounts (2) 3-1/2" to 4-1/2" Pipes to 4" or 6" Square Tube	VZSMART-MSK6
Cross Over Plate, Mounts up to 4-1/2" Pipe, Pipe to Angle, Pipe/Angle not included	VZSMART-MSK7
Corner Support Bracket Kit, Mounts to Pipe up to 4-1/2", Pipe/Corner Angle brace not included	VZSMART-MSK8
Leg Clamp, 1/2" to 3-1/2" Round & Up to 3" Angle	VZSMART-MSK9
Wire Rope Routing Bracket Accessory for Ring Mounts, Ring Mount not included	VZSMART-MSK10

ROOF TOP APPLICATIONS

Single and Dual Penetrating Rooftop Frame

Single and Dual Ballasted Rooftop Frame

Medium Capacity Roof Frames

Universal Tripod Mounts

Mounting Components

Microwave Mounting Components

FOR OUR FULL ROOFTOP PRODUCT PORTFOLIO,
PLEASE VISIT OUR ROOFTOP MOUNTS SITE OR
FOLLOW THE QR CODE:

[Rooftop mounts](#) | [ANDREW](#)



SINGLE AND DUAL PENETRATING ROOFTOP FRAME

ANDREW now offers a complete line of high-capacity rooftop pipe sector frames designed for increased loading and lower EPA than traditional angle-based rooftop frames. The new RT-Series rooftop mounts are available in both penetrating and non-penetrating frame designs with multiple face size and pipe count options offered as a single part number to simplify ordering.

The RT-Series rooftop mounts all feature heavy duty 2 7/8" OD face pipes and antenna pipes and are rated to both AT&T and TIA-5053 standards with up to 5 antenna pipes (face width dependent). The frame features built-in mechanical adjustments for roof pitch with either single or dual frame versions to maximize load bearing capabilities.

**Single Penetrating
RT Series Rooftop Frame**
RT-SF10-3-126



**Dual Penetrating
RT Series Rooftop Frame**
RT-DSF12-3-126



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER	MOUNT RATING
Single Penetrating Rooftop Frame—Meets TIA 5053 standard				
Single Penetrating rooftop sector frame	7' Face Width	(2) 2-7/8" OD X 96" Antenna pipes	RT-SF7-2-96	
		(2) 2-7/8" OD X 126" Antenna pipes	RT-SF7-2-126	M1500R(1000)-2[12]
		(3) 2-7/8" OD X 96" Antenna pipes	RT-SF7-3-96	
		(3) 2-7/8" OD X 126" Antenna pipes	RT-SF7-3-126	
	10' Face Width	(3) 2-7/8" OD X 96" Antenna pipes	RT-SF10-3-96	
		(3) 2-7/8" OD X 126" Antenna pipes	RT-SF10-3-126	M1500R(1000)-3[6]
		(4) 2-7/8" OD X 96" Antenna pipes	RT-SF10-4-96	
		(4) 2-7/8" OD X 126" Antenna pipes	RT-SF10-4-126	
	12' Face Width	(3) 2-7/8" OD X 96" Antenna pipes	RT-SF12-3-96	
		(3) 2-7/8" OD X 126" Antenna pipes	RT-SF12-3-126	
		(4) 2-7/8" OD X 96" Antenna pipes	RT-SF12-4-96	
		(4) 2-7/8" OD X 126" Antenna pipes	RT-SF12-4-126	M1100R(1000)-4[6]

DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER	MOUNT RATING
Dual Penetrating Rooftop Frame—Meets TIA 5053 standard				
Dual penetrating rooftop sector frame	12' Face Width	(3) 2-7/8" OD x 96" Antenna pipes	RT-DSF12-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-DSF12-3-126	
		(4) 2-7/8" OD x 96" Antenna pipes	RT-DSF12-4-96	
		(4) 2-7/8" OD x 126" Antenna pipes	RT-DSF12-4-126	M1500R(1000)-4[18]
	14' Face Width	(3) 2-7/8" OD x 96" Antenna pipes	RT-DSF14-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-DSF14-3-126	
		(4) 2-7/8" OD x 96" Antenna pipes	RT-DSF14-4-96	
		(4) 2-7/8" OD x 126" Antenna pipes	RT-DSF14-4-126	M1500R(1000)-4[15]

SINGLE AND DUAL BALLASTED ROOFTOP FRAME

**Single Ballasted
RT Series Rooftop Frame**
RT-NF10-3-96
(Shown with RT-NFR4 RRU Mou



**Dual Ballasted
RT Series Rooftop Frame**
RT-DF12-4-126



DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER	MOUNT RATING
Single Ballasted Rooftop Frame—Meets TIA 5053 standard				
Single ballasted rooftop sector frame	7' Face Width	(2) 2-7/8" OD x 96" Antenna pipes	RT-NF7-2-96	
		(2) 2-7/8" OD x 126" Antenna pipes	RT-NF7-2-126	M1500R(1000)-4[15]
		(3) 2-7/8" OD x 96" Antenna pipes	RT-NF7-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-NF7-3-126	
	10' Face Width	(3) 2-7/8" OD x 96" Antenna pipes	RT-NF10-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-NF10-3-126	M1500R(1000)-3[6]
		(4) 2-7/8" OD x 96" Antenna pipes	RT-NF10-4-96	
		(4) 2-7/8" OD x 126" Antenna pipes	RT-NF10-4-126	
	12' Face Width	(3) 2-7/8" OD x 96" Antenna pipes	RT-NF12-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-NF12-3-126	
		(4) 2-7/8" OD x 96" Antenna pipes	RT-NF12-4-96	
		(4) 2-7/8" OD x 126" Antenna pipes	RT-NF12-4-126	M1100R(1000)-4[6]
RRU Mounting Kit for RT Series Ballasted Frames	N/A	N/A	RT-NFR4	


DESCRIPTION	FACE WIDTH	PIPES INCLUDED	PART NUMBER	MOUNT RATING
Dual Ballasted Rooftop Frame—Meets TIA 5053 standard				
Dual Ballasted rooftop sector frame	12' Face Width	(3) 2-7/8" OD x 96" Antenna pipes	RT-DF12-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-DF12-3-126	
		(4) 2-7/8" OD x 96" Antenna pipes	RT-DF12-4-96	
		(4) 2-7/8" OD x 126" Antenna pipes	RT-DF12-4-126	M1500R(1000)-4[18]
	14' Face Width	(3) 2-7/8" OD x 96" Antenna pipes	RT-DF14-3-96	
		(3) 2-7/8" OD x 126" Antenna pipes	RT-DF14-3-126	
		(4) 2-7/8" OD x 96" Antenna pipes	RT-DF14-4-96	
		(4) 2-7/8" OD x 126" Antenna pipes	RT-DF14-4-126	M1500R(1000)-4[15]
RRU Mounting Kit for RT Series Ballasted Frames	N/A	N/A	RT-NFR4	

MEDIUM CAPACITY ROOF FRAMES

RF-NL Non-penetrating
Angle Roof Frames
RT-NF10-3-96




Roof-top Frame RRU
Retro Kit



DESCRIPTION	PART NUMBER
Non-penetrating Roof Frame, 7' -6" (2.3 m) Wide (Angle-based design)	
Base Frame Kit Only - 3-1/2" OD (88.9 mm OD) Pipes Ordered Separately	RF-NL7-B
Two 3-1/2" OD x 72" (88.9 mm OD x 1.8 m) Pipes	RF-NL7-2-72
Three 3-1/2" OD x 72" (88.9 mm OD x 1.8 m) Pipes	RF-NL7-3-72
Two 3-1/2" OD x 96" (88.9 mm OD x 2.4 m) Pipes	RF-NL7-2-96
Three 3-1/2" OD x 96" (88.9 mm OD x 2.4 m) Pipes	RF-NL7-3-96
Non-penetrating Roof Frame, 10' -6" (3.2 m) Wide (Angle-based design)	
Base Frame Kit Only - 3-1/2" OD (88.9 mm OD) Pipes Ordered Separately	RF-NL10-B
Two 3-1/2" OD x 72" (88.9 mm OD x 1.8 m) Pipes	RF-NL10-2-72
Three 3-1/2" OD x 72" (88.9 mm OD x 1.8 m) Pipes	RF-NL10-3-72
Two 3-1/2" OD x 96" (88.9 mm OD x 2.4 m) Pipes	RF-NL10-2-96
Three 3-1/2" OD x 96" (88.9 mm OD x 2.4 m) Pipes	RF-NL10-3-96
Roof-top Frame RRU Retrofit Kit	
RRU Retrofit Kit	RF-NRK

UNIVERSAL TRIPOD MOUNTS

Universal Tripod Mounts




Non-penetrating Roof Ballast
Sled for Tripods
TP-G412-72 with MT-416




DESCRIPTION	PART NUMBER
Universal Tripod Mount, 2-7/8" or 3-1/2" OD (73 mm or 88.9 mm OD)	
Base Only for 2-7/8" or 3-1/2" OD (73 mm or 88.9 mm OD), Pipe Ordered Separately	TP-G300-B
2-7/8" OD x 96" (73 mm OD x 2.4 m)	TP-G300-96
2-7/8" OD x 126" (73 mm OD x 3.2 m)	TP-G300-126
3-1/2" OD x 96" (88.9 mm OD x 2.4 m)	TP-G312-96
3-1/2" OD x 126" (88.9 mm OD x 3.2 m)	TP-G312-126
Universal Tripod Mount, 4-1/2" OD (114.3 mm OD)	
Base Only for 4-1/2" OD (114.3 mm OD), Pipe Ordered Separately	TP-G412-B
4-1/2" OD x 96" (114.3 mm OD x 2.4 m)	TP-G412-96
4-1/2" OD x 126" (114.3 mm OD x 3.2 m)	TP-G412-126
4-1/2" OD x 150" (114.3 mm OD x 3.8 m)	TP-G412-150
Non-penetrating Roof Ballast Sled for Tripods	
Non-penetrating Roof Sled, Tripod Mount Ordered Separately	MT-416
Rubber Mat, 1/2" x 18" x 48" (13 mm x 457 mm x 1219 mm), Six Mats Required for Ballast Tray	MT-F1637

WALL MOUNTING COMPONENTS




Stand-off Wall Mounts



Corner Wall Mounts

DESCRIPTION	PART NUMBER
Stand-off Wall Mount	
Stand-off Wall Mount, 36" (914 mm), for Solid and Hollow Walls, Includes 72" (1829 mm) Stiff Arm	DM-300
Corner Wall Mount With 2-3/8" OD (60.3 mm OD) Antenna Pipe	
96" (2.4 m) Pipe	CW-M2-96
Corner Wall Mount With 4-1/2" OD (114.3 mm OD) Antenna Pipe	
96" (2.4 m) Pipe	CW-M4-96

MICROWAVE MOUNTING COMPONENTS



Roof-top Microwave Dish Ballast Mount System



DESCRIPTION	PART NUMBER
Adjustable Wall Mounts, 6" (152.4 mm) Stand-off	
For Hollow Walls, Includes Backing Plates, Kit of 2	MT-221
For Solid Walls, Includes Wall Anchors, Kit of 2	MT-222
Adjustable Wall Mounts, 12" (305 mm) Stand-off	
For Hollow Walls, Includes Backing Plates, Kit of 2	MT-221L
For Solid Walls, Includes Wall Anchors, Kit of 2	MT-222L
Optional Backing Plate	
Backing Plate Kit, 12" x 12" (305 mm x 305 mm)	MT-223
Roof-top Microwave Dish Ballast Mount System	
Three 4.5" OD X 8' Supports with 3.5" OD Strut Support Member	RF-MW8-B

EQUIPMENT PLATFORMS

Equipment Platforms

Ice Canopy

Equipment Platform Legs

Power Telco Racks

Handrail & Step Kits

FOR OUR FULL PLATFORM PRODUCT PORTFOLIO,
PLEASE VISIT OUR EQUIPMENT PLATFORMS &
CANOPIES SITE OR FOLLOW THE QR CODE:

[Equipment platforms & canopies | ANDREW](#)



EQUIPMENT PLATFORMS

EQUIPMENT PLATFORM SOLUTIONS

ANDREW equipment platforms are delivered unassembled and erected on-site. They are designed to assemble quickly, easily and without the need for a cement pad. No permitting, no need for cement forms or rebar. No wasted time spent waiting for the pad to cure. Should cabling beneath the platform need to be moved, there is no need to dig up the pad and re-pour— simply re-route as needed.

The base equipment platform features grating, platform and all the hardware needed. A variety of options enable you to tailor the platform size, footings, canopy type and more to the requirements of the job. Additional add-ons—like power telco racks, handrails, steps and climbing ladders—let you create a flexible platform solution that can adapt to the specific needs of each site as the network and site requirements evolve.

To order, specify your desired length and width (in 2-ft increments), then select footing type per charts below:

Step 1: Select

PLATFORM WIDTH (2-FT. INCREMENTS, 26 FT. MAX)		
1	04	4 ft. (Minimum width)
	26	26 ft. (Minimum width)

Step 2: Select

FORM LENGTH (2-FT. INCREMENTS, 26 FT. MAX)		
2	04	4 ft. (Minimum length)
	26	26 ft. (Minimum length)

Step 3: Select

PLATFORM SUPPORT/FEET OPTION		
3	B	No feet, base platform only
	AL	Adjustable legs with side leg jack
	DF	Weight disbursement feet



Equipment platform

PART NUMBER MATRIX

EQ-P


1

2

3

EQUIPMENT PLATFORMS

8" Channel Equipment Platforms



DF-CF Compact Foot Platforms



DESCRIPTION	EXAMPLE PART NUMBERS
Equipment Platform Bases, 8" Channel, Heavy Duty, for Up to 10,000 lb Loading	
8' x 10' (2.4 m x 3 m) Base Only	EQ-P0810-B
8' x 10' (2.4 m x 3 m)	EQ-P0810-AL
8' x 12' (2.4 m x 3.8 m) Base Only	EQ-P0812-B
8' x 12' (2.4 m x 3.8 m)	EQ-P0812-AL
8' x 14' (2.4 m x 4.4 m) Base Only	EQ-P0814-B
8' x 14' (2.4 m x 4.4 m)	EQ-P0814-AL
8' x 16' (2.4 m x 5 m) Base Only	EQ-P0816-B
8' x 16' (2.4 m x 5 m)	EQ-P0816-AL

Equipment platforms with custom compact foot option to address tight lease spaces where footprint of the platform, including supporting piers, cannot exceed lease space.

DESCRIPTION	EXAMPLE PART NUMBERS
DF-CF Concealed Foot Options	
10' x 10' Platform with Compact Foot Option	EQ-P1010-DF-CF
10' x 15' Platform with Compact Foot Option	EQ-P1015-DF-CF
10' x 20' Platform with Compact Foot Option	EQ-P1020-DF-CF

ICE AND RAIN CANOPIES

Specifying the right ice canopy is even easier. Use the format below to tell us the length and width you need and the type of footing you prefer.

Step: Select

CANOPY TYPE	
1	IC = Ice Canopy
	RC= Rain/Shade Canopy

Step: Select

CANOPY LENGTH		
2	06	6 ft.
	08	8 ft.
	10	10 ft.

Step: Select

CANOPY WIDTH		
3	10	10 ft.
	12	12 ft.

Step: Select

CANOPY FOOTING		
4	B	Direct burial posts, 13 ft. 4 in. tall
	S	Base shoe pipes 10.5 ft. tall

PART NUMBER MATRIX

Step: 1

Step: 2

-

Step: 3

Step: 4

EXAMPLE PART NUMBER:
RC-0610-B = 6' x 10'
Rain canopy with burial posts

Ice Canopy




Rain Canopy




EQUIPMENT PLATFORM LEGS

Weight Dispersement Legs
EQ-P-DF



Adjustable Legs
EQ-P-AL



DESCRIPTION	PART NUMBER
Equipment Platform Legs	
Adjustable Leg for Equipment Platform for Raw Land Installations	EQ-P-AL
Weight Dispersement Leg for Equipment Platforms	EQ-P-DF


POWER TELCO RACKS

Power Telco Racks
PT-R104



DESCRIPTION	WEIGHT, LB (KG.)	PART NUMBER
Telco Racks With 13'-4" (4.1 m) Burial Posts and 80" (2 m) Horizontal Rails		
Power Telco Rack, Two 80" (2 m) Rungs, 13'-4" (4.1 m) Burial Posts	135 (62.0)	PT-R102
Power Telco Rack, Three 80" (2 m) Rungs, 13'-4" (4.1 m) Burial Posts	150 (68.0)	PT-R103
Power Telco Rack, Four 80" (2 m) Rungs, 13'-4" (4.1 m) Burial Posts	165 (75.0)	PT-R104
Power Telco Rack Kit for EQ-P Series Platforms		
Two Post Power Telco Rack Kit, Includes Brackets	262 (118.9)	EQ-PPC
Post Bracket Kit for Waveguide Bridge Attachment to EQ-P Series Platforms		
Mounts 3 1/2" (88.9mm) OD Pipe	715 (324.3)	EQ-PB

HANDRAIL & STEP KITS



DESCRIPTION	PART NUMBER
Handrail Kit for EQ-P Series Platforms	
For 10' x 10' (3 m x 3 m) Platform	EQ-HR1010
For 10' x 15' (3 m x 4.6 m) Platform	EQ-HR1015
For 10' x 20' (3 m x 6.1 m) Platform	EQ-HR1020
Ladder for EQ-P Series Platforms	
Climbing Ladder for EQ-P Series Platforms	EQ-LD
Step Kits for EQ-P Series Platforms	
Single Platform Step for EQ-P Series Platforms	EQ-ST5
Double Step Kit for EQ-P Series Platforms	EQ-STEP-2
Triple Step Kit for EQ-P Series Platforms	EQ-STEP-3
Four Step Kit for EQ-P Series Platforms	EQ-STEP-4
Five Step Kit for EQ-P Series Platforms	EQ-STEP-5
Six Step Kit for EQ-P Series Platforms	EQ-STEP-6
Power Telco Rack Kit for EQ-P Series Platforms	
Two Post Power Telco Rack Kit for EQ-P Series Platforms. Includes Brackets	EQ-PPC
Post Bracket Kit for Waveguide Bridge Attachment to EQ-P Series Platforms	
Mounts 3-1/2" (88.9 mm) OD Pipe	EQ-PB

RADIO MOUNTS

RRU Mounts

PAM Universal Pipe-to-Angle Mount Kits

Stand-off Arm Mounts

Tower Mounts

Monopole Mounts

Ground Level Mounts

Outdoor RRU Mount Racks

RRU Mount Racks


FOR OUR FULL PLATFORM PRODUCT PORTFOLIO,
PLEASE VISIT OUR EQUIPMENT PLATFORMS &
CANOPIES SITE OR FOLLOW THE QR CODE:

[Radio mounts](#) | [ANDREW](#)



RRU MOUNTS

ANDREW offers a full line of RRH/RRU mounts which are designed to securely support radios and help prevent outdoor elements from affecting equipment performance. The RRU brackets mount securely to a wide range of round or angled members to enable mounting to the tower sector frame along with options that attach directly to the tower.



APEX RRU Mounting
RR-APEX4

Core RRU Mounting Bracket
MTC4112


DESCRIPTION	MOUNTING	PART NUMBER
APEX RRU mount		
RRU mounting for up to 4 radios	3.5" OD Round Members	RR-APEX4
CORE saddle mount		
CORE RRU mounting bracket 1' stand off	3.5" OD Round Members	MTC4112
CORE RRU mounting bracket 2' stand off	3.5" OD Round Members	MTC4113
Fast Access		
Fast Access RRU mounting bracket	Round & Angled Up To 6"	RR-FA2
Large stiffener bracket	RR-FA2 Only	RRFA-0002-00
Back to Back		
Back to Back RRU mounting bracket	3.5" OD Round Members	RR-B2B-AR
Back to Back RRU mounting bracket	4.5" OD Round Members	RR-B2B-LP

PAM UNIVERSAL PIPE-TO-ANGLE MOUNT KITS

ANDREW announces the release of PAM, a new Universal Pipe-to-Angle Mount Kit designed for mounting equipment support pipes directly to angled sector frame or tower members. These kits are compatible with angle-style sector frames, such as the ANDREW SF-QV Series and SF-SU Series or can mount directly to 90 degree angled tower members. PAM attaches pipes 2" to 3 1/2" OD (sold separately) to 90° angles from 2 to 4 inches. Mounting hardware is included for 2 3/8" pipes and u-bolts for other pipe sizes can be ordered separately.

- Mounts pipe directly to angled sector frame or tower members
- Universal mounting to either side of angle
- For 90° angles from 2 to 4 inches
- Compatible with Pipes 2" to 3 1/2" OD
- Includes U-bolts for Mounting 2 3/8" Pipes

PAM Universal Pipe-to-Angle Mount Kits



DESCRIPTION	PART NUMBER
Universal Pipe-to-Angle Mount Kit for mounting 2in to 3.5in OD pipe to 90-degree angles 2in to 4in. HW incl for 2-3/8in pipe (Pipe not included)	PAM


STAND-OFF ARM MOUNTS




DESCRIPTION	PART NUMBER
Stand-off Arm Mounts	
Crossover Plates for Mounting One 2-3/8" OD (60.3 mm OD) Antenna Mounting Pipe to 4-1/2" OD (114.3 mm) Round or 4" (101.6 mm) Square Stand-off Arms	XP-197-S
Crossover Plates for Mounting Two 2-3/8" OD (60.3 mm OD) Antenna Mounting Pipes to 4-1/2" OD (114.3 mm OD) Round or 4" (101.6 mm) Square Stand-off Arms	XP-197-D
Crossover Plate for Mounting One 2-3/8" to 3-1/2" OD (60.3 mm to 88.9 mm OD) Antenna Mounting Pipe to 4-1/2" OD (114.3 mm OD) Round or 4" (101.6 mm) Square Stand-off Arms	XP-197-US
Crossover Plates for Mounting Two 2-3/8" to 3-1/2" OD (60.3 mm to 88.9 mm OD) Antenna Mounting Pipes to 4-1/2" OD (114.3 mm OD) Round or 4" (101.6 mm) Square Stand-off Arms	XP-197-UD
Crossover Plates for Mounting One 2-3/8" to 3-1/2" (60.3 mm to 88.9 mm) RRU Pipe to 3-1/2" (88.9 mm) Round or up to 4" (101.6 mm) Square Stand-off Arms	XP-197-35US
Crossover Plates for Mounting Two 2-3/8" to 3-1/2" (60.3 mm to 88.9 mm) RRU Pipes to 3-1/2" (88.9 mm) Round or up to 4" (101.6 mm) Square Stand-off Arms	XP-197-35UD
1 RRU Crossover Plates for Mounting RRUs to 3.5" to 4.5" Square or 3"to 6" Rectangular Tube	XP-PM-S
2 RRU Crossover Plates for Mounting RRUs to 3.5" to 4.5" Square or 3"to 6" Rectangular Tube	XP-PM-D

TOWER MOUNTS

Universal RRU Mount
PM-RU3T



Universal Sliding Pipe Mount
PM-SU35-48



DESCRIPTION	PART NUMBER
Universal RRU Mount	
Mount for Attaching up to Three RRUs to Straight Tower Legs	PM-RU3
Mount for Attaching up to Three RRUs to Straight or Tapered Tower Legs	PM-RU3T
Universal Sliding Pipe Mount Kit	
Universal Sliding Pipe Mount Kit, 3-1/2" OD x 48" (88.9 mm OD x 1.2 m) Mounting Pipe	PM-SU35-48

MONOPOLE MOUNTS

6-Sector Pipe Mount Kit
RR-RM1560



3-Sector Dual Radio Ring Mount
MC-RR1050-3



DESCRIPTION	WEIGHT, LB (KG)	PART NUMBER
Six Sector Pipe Ring Mount		
Pipe Mount Kit, for 15" to 60" OD (381 mm to 1524 mm OD) Monopoles	97 (44)	RR-RM1560
Three Sector Dual Radio Ring Mount		
MC-RR1050-3 Pipe Mount, for 10" to 50" OD (254 mm to 1270 mm OD) Monopoles	101 (45.7)	MC-RR1050-3

GROUND LEVEL MOUNTS

Ground Level Mounting RRU's
CS-BR
RR-BSP-10



Ice Shield
RR-IS24




DESCRIPTION	PART NUMBER
Ground Level Mounting RRU's	
3-1/2" OD x 126" (88.9 mm OD x 3.2 m) Base Shoe Pipe With 14-1/2" x 14-1/2" (368.3 mm x 368.3 mm) Base Plate	RR-BSP-10
Cluster Support Bracket, 5 Lines, for 3-1/2" OD (88.9 mm OD) Members	CS-BR
Cluster Support Bracket, 18 Lines, for 3-1/2" OD (88.9 mm OD) Members	CS-BRL
Ice Shield	
24" x 24" (609 mm x 609 mm) Ice Shield	RR-IS24

OUTDOOR RRU MOUNT RACKS

Roof-top Mount
RR-HFBP5




Wall Mount
RR-WM3



DESCRIPTION	PART NUMBER
Remote Radio H-Frame	
Remote Radio H-Frame Burial Pole 5'	RR-HFBP5
Remote Radio H-Frame Base Shoe 5'	RR-HFBS5
Wall Mount	
Remote Radio Wall Mount 3'	RR-WM3

RRU MOUNT RACKS

Non-penetrating Roof-top Mounting RRU's
RR-TFS



DESCRIPTION	PART NUMBER
Non-penetrating Roof-top Mounting RRU's	
Non-penetrating Ballast Mount for RRU's	RR-TFS

CABLE SUPPORT PRODUCTS

Polymer PIM-Guard® Cable Support Brackets

PIM-Guard® Cable Support Brackets

Antenna RRU Cable Support Brackets

Cable Ladder Kits

Waveguide Bridge Components

Trapeze Kits and Z-Brackets

FOR OUR FULL CABLE SUPPORT PRODUCT
PORTFOLIO, PLEASE VISIT OUR CABLE SUPPORT
BRACKETS SITE OR FOLLOW THE QR CODE:

[Cable support brackets | ANDREW](#)



POLYMER PIM-GUARD® ANTENNA AND RRU CABLE SUPPORT BRACKETS


ANDREW was the first to develop the industry's first all-resin, PIM-Guard® Antenna & Radio Cable Support brackets to provide PIM-fighting interference protection in the high-risk zone around the antenna. Recyclable, lightweight and weatherproof, these "PIM-Fighter" brackets were designed to work with our PIM-Guard® SnapTak® hangers, enabling higher cable densities and leaving PIM nowhere to hide!

FEATURES

- Port counts from 4- to 38-ports plus stackable SnapTak® hangers to support evolving needs
- Part of an end-to-end PIM-Guard® strategy for flexible network growth
- New 22-inch wide and reverse orientation options for expanded applications

DESCRIPTION	CABLE RUNS QUANTITY	3/4" HOLE QUANTITY	PART NUMBER
Polymer PIM-Guard® Antenna and RRU Cable Support Brackets Number of positions for stackable hangers (up to 2 per position) Round member mounting; 2.4"-3.0"			
38 Postions - Extra wide plus Reverse orientation for use under both Antenna and RRU	38	38	PGP-CS38-R
34 Positions - Extra wide Dual Bracket	34	34	PGP-CS34L
20 Postions - Reverse orientation for use under RRU	20	20	PGP-CS20-R
18 Positions - Extra wide Bracket	18	18	PGP-CS18L
18 Positions	18	18	PGP-CS18
16 Positions - Extra wide Bracket	16	16	PGP-CS16L
16 Positions	16	16	PGP-CS16
12 Positions	12	12	PGP-CS12
10 Positions	10	10	PGP-CS10
8 Positions	8	8	PGP-CS08
4 Positions	4	4	PGP-CS04

NOTE: Also Available in Kits of 6 and 12




PIM-GUARD® CABLE SUPPORT BRACKETS

PIM-Guard® (PG) Series Cable Support Brackets are designed with clamps that firmly secure the brackets to antenna pipes, eliminating loose metal connections which can cause PIM issues. Manufactured from hot-dipped galvanized steel, PG Series Cable Support Brackets also eliminate PIM concerns from dissimilar metals or corrosion. The PG Series is recommended for use with ANDREW's new SnapTak™ PIM-Guard® adjustable hangers made from an engineered composite material to eliminate PIM near critical antenna and RRU connections.


- PIM-Guard® family of cable attachment and support
- Secure metal clamp designs
- Hot-dipped galvanized steel



PG-CS08



PG-CSEB17




PG-CS23

DESCRIPTION	PART NUMBER
8-port Cable Support Bracket Kit. Mounts to 1.9" to 4.5" OD Pipe	PG-CS08
Cable Support Expansion Bracket to expand PG-CS08 to 23 ports	PG-CSEB17
23-port Cable Support Bracket Kit. Mounts to 1.9" to 4.5" OD Pipe	PG-CS23
6-port Bracket kit for Round Members 2 3/8" to 3 1/2" OD	PG-RM06

ANTENNA RRU CABLE SUPPORT BRACKETS

Single Leg Cable Support
ACS-4



Dual Leg Cable Support
ACS-D24




DESCRIPTION	PART NUMBER
Single Leg Cable Support	
Antenna and RRU Cable Support Bracket - 4 ports	ACS-4
Antenna and RRU Cable Support Bracket - 12 ports	ACS-12
Dual Leg Cable Support	
RRU Dual Leg Cable Support Bracket - 24 ports	ACS-D24

Star Support Brackets
SS-TB2550




Universal Round
Member Support Bracket
RM-USBG



DESCRIPTION	WEIGHT, LB (KG)	PART NUMBER
Star Support Tee Bracket		
1-1/2" to 5-9/16" OD (38.1 mm to 141.3 mm OD) Round Members and 2-1/2" to 5" (50.8 mm to 127 mm) Angle Members	8 (3.6)	SS-TB2550
4" to 10-3/4" OD (101.6 mm to 273.1 mm OD) Round Members and 4" to 8" (101.6 mm to 203.2 mm) Angle Members	10 (4.5)	SS-TB6080
Universal Round Member Support Bracket		
Universal Round Member Support Bracket for 6 Runs, Kit of 10	9.0 (4.1)	RM-USBG

CABLE LADDER KITS

Cable Ladder Kits




DESCRIPTION	PART NUMBER
Cable Ladder Kits	
20" Wide, Six Hole Rung, 10 feet	CL-0610-U
20" Wide, Six Hole Rung, 20 feet	CL-0620-U
30" Wide, Nine Hole Rung, 10 feet	CL-0910-U
30" Wide, Nine Hole Rung, 20 feet	CL-0920-U
38" Wide, Twelve Hole Rung, 10 feet	CL-1210-U
38" Wide, Twelve Hole Rung, 20 feet	CL-1220-U

WAVEGUIDE BRIDGE COMPONENTS


Base Shoe



Direct Burial Pipe Column




Waveguide Bridge Kits




DESCRIPTION	PART NUMBER
Base Shoe	
For 3 1/2" OD Pipe, Hardware Included	WB-BS
Direct Burial Pipe Column	
3 1/2" OD x 13' 4"	MF-130
Waveguide Bridge Support Brackets	
24" Wide for 3 1/2" OD Legs	WB-LB24-3
Safety Grated Waveguide Bridge Kits	
24" x 10' Bridge with (2) 15' 4" Direct Burial Posts	WB-K210-B15
24" x 10' Bridge with (2) 13' 4" Direct Burial Posts	WB-K210-B
24" x 10' Bridge with (4) 13' 4" Direct Burial Posts	WB-K410-B
24" x 10' Bridge with (2) 10' 6" Base Shoe Posts	WB-K210-S
Heavy Duty 12" x 10' Bridge with (2) 13' 4" Direct Burial Posts	WB-K110-B-HD
Heavy Duty 12" x 10' Bridge with (2) 10' 6" Base Shoe Posts	WB-K110-S-HD

TRAPEZE KITS AND Z-BRACKETS


Trapeze Kits



Arrestor Trapeze Kits



Z-Brackets



DESCRIPTION	PART NUMBER
Trapeze Kits	
Triple Tee Adjustable, 12" Wide with 3 Rungs	WB-T12-3
Triple Tee Adjustable, 24" Wide with 3 Rungs	WB-T24-3
12" Wide with 1 Rung	WB-TS12
12" Wide with 2 Rung	WB-TD12
24" Wide with 1 Rung	WB-TS24
24" Wide with 2 Rung	WB-TD24
Arrestor Trapeze Kit for 7-16 DIN, Type N or Bolt-grounded Surge Arrestors	
3-Tier, 6-hole Pattern	AT-K306-U
4-Tier, 6-hole Pattern	AT-K406-U
Z-Brackets	
12" Wide with 1 Rung	MT-357-12
24" Wide with 1 Rung	MT-357-24
Vertical Z-Bracket-12" Wide with 6 Holes	ZB-V6
Vertical Z-Bracket-24" Wide with 6 Holes	ZB-V12
Horizontal Z-Brackets	
Coaxial Cable Wall Bracket for 14 Cable Runs	ZB-H8

PIPES AND POLE MOUNTS

Pipe Mount Kits

Crossover Plates

Pipe-to-Pipe Clamps

Pipes

U-bolts and Hardware

FOR OUR FULL PRODUCT PORTFOLIO, PLEASE
VISIT OUR EQUIPMENT PIPES, PIPE MOUNTS & SITE
HARDWARE SITE OR FOLLOW THE QR CODE:

[Pipes, pipe mounts & site hardware | ANDREW](#)



PIPE MOUNT KITS

Pipe Mount Kits
MT-219
MTC3055PM35



DESCRIPTION	PART NUMBER
Pipe Mount Kits for 3-1/2" (88.9 mm) Round Tube Faces	
Pipe Mount for 2-3/8" OD (60.3 mm OD) Antenna Mount Pipe	MT-219-H
Pipe Mount for 2-7/8" OD (73 mm OD) Antenna Mount Pipe	MT-219M-H
Pipe Mount for 3-1/2" OD (89 mm OD) Antenna Mount Pipe	MT-219L-H
Pipe Mount Kits for 4" (102 mm) Square Tube Faces	
Pipe Mount for 2-3/8" OD (61 mm OD) Antenna Mount Pipe	MTC3055PM2
Pipe Mount for 2-7/8" OD (73 mm OD) Antenna Mount Pipe	MTC3055PM3
Pipe Mount for 3-1/2" OD (89 mm OD) Antenna Mount Pipe	MTC3055PM35

CROSSOVER PLATES


Crossover Plates
XP Series



DESCRIPTION	PART NUMBER
U-bolt Style Crossover Plates	
2 3/8" OD to 2 3/8" OD (60.3mm OD to 60.3mm OD) Round Members	XP-2020
2 3/8" OD to 2 7/8" OD (60.3mm OD to 73mm OD) Round Members	XP-2025
2 7/8" OD to 2 7/8" OD (73mm OD to 73mm OD) Round Members	XP-2525
2 3/8" OD to 3 1/2" OD (60.3mm OD to 88.9mm OD) Round Members	XP-2030
2 3/8" OD to 4 1/2" OD (60.3mm OD to 114.3mm OD) Round Members	XP-2040
2 7/8" OD to 4 1/2" OD (60.3mm OD to 114.3mm OD) Round Members	XP-2540
2 7/8" OD to 3 1/2" OD (73mm OD to 88.9mm OD) Round Members	XP-2530
3 1/2" OD to 3 1/2" OD (88.9mm OD to 88.9mm OD) Round Members	XP-3030
3 1/2" OD to 4 1/2" OD (88.9mm OD to 114.3mm OD) Round Members	XP-3040
4 1/2" OD to 4 1/2" OD (114.3mm OD to 114.3mm OD) Round Members	XP-4040
Universal Round, Joins Range of 2 3/8" up to 3 1/2" OD Round Members	XP-R
Crossover Angle	
Crossover Angle, 2 3/8" OD to 2 3/8" OD (60.3mm OD to 60.3mm OD), Kit of 2	XA-2020
Universal Crossover Angle, 2" OD to 3 1/2" OD (50.8mm OD to 88.9mm OD) to 2" OD to 3 1/2" OD (50.8mm OD to 88.9mm OD), Kit of 2	XA-U

CROSSOVER PLATES

Crossover Plates
CO Series



Crossover Clamps
CC Series



DESCRIPTION	PART NUMBER
Clamp Style Crossover Plates	
Joins 1 1/2" OD to 3 1/2" OD (38.1mm OD to 88.9mm OD) Round Members	CO-100
Joins 2" OD to 5" OD (50.8mm OD to 127mm OD) Round Members	CO-200
Joins 2" OD to 5" OD (50.8mm OD to 127mm OD) to 4" OD to 9" OD (101.6mm OD to 228.6mm OD) Round Members	CO-400
Crossover Clamps	
Joins 1 1/2" OD to 2 1/2" OD (38.1mm OD to 63.5mm OD) Round Members	CC-100
Joins 2 1/2" OD to 3 1/2" OD (63.5mm OD to 88.9mm OD) Round Members	CC-100-6
Joins 1 1/2" OD to 2 1/2" OD (38.1mm OD to 63.5mm OD) to 2 3/8" OD to 5" OD (60.3mm OD to 127mm OD) Round Members	CC-215
Joins 2 1/2" OD to 3 1/2" OD (63.5mm OD to 88.9mm OD) to 2 3/8" OD to 5" OD (60.3mm OD to 127mm OD) Round Members	CC-215-6

PIPE-TO-PIPE CLAMPS

Pipe to Pipe Clamps
BC Series




Pipe to Pipe Clamps
BC/D Series



DESCRIPTION	PART NUMBER
BC/D Series Pipe-to-Pipe Clamps, Kit of 2	
Joins Two 1 1/2" OD (38.1mm OD) to 3 1/2" OD (88.9mm OD) Round Members, 1/2" x 10" (12.7mm x 254mm) Threaded Rod	BC-20-10D
Joins Two 1 1/2" OD (38.1mm OD) to 3 1/2" OD (88.9mm OD) Round Members, 1/2" x 10" (12.7mm x 254mm) Threaded Rod	BC-30-10D
Joins Two 2 3/8" OD (60.3mm OD) to 5" OD (127mm OD) Round Members, 5/8" x 14" (15.9mm x 0.4m) Threaded Rod	BC-35-14D
Joins Two 4" OD (101.6mm OD) to 9" OD (228.6mm OD) Round Members, 5/8" x 14" (15.9mm x 0.4m) Threaded Rod	BC-40-16D
BC Series Pipe-to-Pipe Clamps, Kit of 2	
Joins Two 1 1/2" OD (38.1mm OD) to 3 1/2" OD (88.9mm OD) Round Members, 1/2" x 10" (12.7mm x 254mm) Threaded Rod	BC-20-10
Joins Two 1 1/2" OD (38.1mm OD) to 3 1/2" OD (88.9mm OD) Round Members, 1/2" x 10" (12.7mm x 254mm) Threaded Rod	BC-30-10
Joins Two 2 3/8" OD (60.3mm OD) to 5" OD (127mm OD) Round Members, 5/8" x 14" (15.9mm x 0.4m) Threaded Rod	BC-35-14
Joins Two 4" OD (101.6mm OD) to 9" OD (228.6mm OD) Round Members, 5/8" x 14" (15.9mm x 0.4m) Threaded Rod	BC-40-16

PIPES

Pipes




Galvanized Schedule 40 Pipes




DESCRIPTION	PART NUMBER
Pipe	
2-3/8" OD x 96" (60.3 mm OD x 2.4 m) Pipe	MT-651-96
2-3/8" OD x 120" (60.3 mm OD x 3 m) Pipe	MT-651-120
2-3/8" OD x 126" (60.3 mm OD x 3.2 m) Pipe	MT-537
2-7/8" OD x 96" (73 mm OD x 2.4 m) Pipe	MT54696120
2-7/8" OD x 120" (73 mm OD x 3 m) Pipe	MT546120120
2-7/8" OD x 126" (73 mm OD x 3.2 m) Pipe	MT546126120
3-1/2" OD x 96" (89 mm OD x 2.4 m) Pipe	MT54796
3-1/2" OD x 120" (89 mm OD x 3 m) Pipe	MT547120
3-1/2" OD x 126" (89 mm OD x 3.2 m) Pipe	MT-547-126
Galvanized Schedule 40 Pipe	
2-3/8" OD x 96" (60.3 mm OD x 2.4 m) Schedule 40 Pipe	MT651096154
2-3/8" OD x 126" (60.3 mm OD x 3.2 m) Schedule 40 Pipe	MT651126154
2-7/8" OD x 96" (73 mm OD x 2.4 m) Schedule 40 Pipe	MT54696
2-7/8" OD x 120" (73 mm OD x 3 m) Schedule 40 Pipe	MT546120
2-7/8" OD x 126" (73 mm OD x 3.2 m) Schedule 40 Pipe	MT-546-126
3-1/2" OD x 126" (89 mm OD x 3.2 m) Schedule 40 Pipe	MTC547126216
Galvanized Schedule 80 Pipe	
2-3/8" OD x 96" (60.3 mm OD x 2.4 m) Schedule 80 Pipe	MT651096218
2-3/8" OD x 126" (60.3 mm OD x 3.2 m) Schedule 80 Pipe	MT651126218
2-7/8" OD x 96" (73 mm OD x 2.4 m) Schedule 80 Pipe	MT546096276
2-7/8" OD x 120" (73 mm OD x 3 m) Schedule 80 Pipe	MT546120276
2-7/8" OD x 126" (73 mm OD x 3.2 m) Schedule 80 Pipe	MT546126276
3-1/2" OD x 96" (89 mm OD x 2.4 m) Schedule 80 Pipe	MTC315596
3-1/2" OD x 120" (89 mm OD x 3 m) Schedule 80 Pipe	MTC3155

U-BOLTS AND HARDWARE

U-bolts




Galvanized Bolts



DESCRIPTION	PART NUMBER
Galvanized U-bolts	
1/2" x 2-1/2" x 4" (13 mm x 64 mm x 102 mm) Galvanized U-bolt Assembly	GUB-4240
1/2" x 3" x 5-1/4" (13 mm x 76 mm x 133 mm) Galvanized U-bolt Assembly	GUB-4352
1/2" x 3-5/8" x 6" (13 mm x 92 mm x 152 mm) Galvanized U-bolt Assembly	GUB-4356
Galvanized Bolts	
Galvanized Bolt Assembly 3/8" X 1" Grade 5	GB-03105
Galvanized Bolt Assembly 3/8" x 1-1/4" Grade 5	GB-03125
Galvanized Bolt Assembly 3/8" x 1-1/2" Grade 5	GB-03145
Galvanized Bolt Assembly 3/8" x 2" Grade 5	GB-03205
Galvanized Bolt Assembly 3/8" x 2-1/4" Grade 5	GB-03225
Galvanized Bolt Assembly 3/8" x 3" Grade 5	GB-03305
Galvanized Bolt Assembly 3/8" x 3-1/2" Grade 5	GB-03345
Galvanized Bolt Assembly 3/8" X 5" Grade 5	GB-03505
Galvanized Bolt Assembly 1/2" x 1" Grade 5	GB-04105
Galvanized Bolt Assembly 1/2" X 1-1/4" Grade 5	GB-04125
Galvanized Bolt Assembly 1/2" x 1-1/2" Grade 5	GB-04145
Galvanized Bolt Assembly 1/2" x 1-1/2" Grade A325	GB-0414A
Galvanized Bolt Assembly 1/2" x 1-3/4" Grade 5	GB-04165
Galvanized Bolt Assembly 1/2" x 1-3/4" Grade A325	GB-0416A
Galvanized Bolt Assembly 1/2" x 2" Grade 5	GB-04205
Galvanized Bolt Assembly 1/2" x 2" Grade A325	GB-0420A
Galvanized Bolt Assembly 1/2" x 2-1/4" Grade 5	GB-04225
Galvanized Bolt Assembly 1/2" x 2-1/2" Grade 5	GB-04245
Galvanized Bolt Assembly 1/2" x 2-1/2" Grade A325	GB-0424A
Galvanized Bolt Assembly 1/2" x 2-3/4" Grade 5	GB-04265
Galvanized Bolt Assembly 1/2" x 3-3/4" Grade A325	GB-0436A
Galvanized Bolt Assembly 1/2" x 4" Grade 5	GB-04405
Galvanized Bolt Assembly 1/2" x 4-1/2" Grade 5	GB-04445
Galvanized Bolt Assembly 5/8" x 1-1/2" Grade 5	GB-05145
Galvanized Bolt Assembly 5/8" x 1-1/2" Grade A325	GB-0514A
Galvanized Bolt Assembly 5/8" X 1-3/4" Grade A325	GB-0516A

U-BOLTS AND HARDWARE

Galvanized Bolts



Galvanized Threaded Rod



DESCRIPTION	PART NUMBER
Galvanized Bolts	
Galvanized Bolt Assembly 5/8" X 2" Grade 5	GB-05205
Galvanized Bolt Assembly 5/8" x 2" Grade A325	GB-0520A
Galvanized Bolt Assembly 5/8" x 2-1/4" Grade 5	GB-05225
Galvanized Bolt Assembly 5/8" x 2 1/4" Grade A325	GB-0522A
Galvanized Bolt Assembly 5/8" x 2-1/2" Grade 5	GB-05245
Galvanized Bolt Assembly 5/8" x 2-1/2" Grade A325	GB-0524A
Galvanized Bolt Assembly 5/8" x 3" Grade 5	GB-05305
Galvanized Bolt Assembly 5/8" x 7" Grade A325	GB-0570A
Galvanized Bolt Assembly 3/4" x 2-1/4" Grade 5	GB-06225
Galvanized Bolt Assembly 3/4" x 3-1/2" Grade A325	GB-0634A
Galvanized Threaded Rod	
Threaded Rod Galvanized 3/8" X 8"	GD03800
Threaded Rod Galvanized 3/8" X 9-1/2"	GD03950
Threaded Rod Galvanized 1/2" X 12"	MT-379
Threaded Rod Galvanized 5/8" X 8"	MT-381-8
Threaded Rod Galvanized 5/8" X 18"	MT-382-18

Since 1937, ANDREW, an Amphenol company, has driven the evolution of wireless technology. Trusted by mobile network operators and enterprises globally, we work closely with our customers to deliver innovative solutions that enhance connectivity experiences both outdoors and indoors. Our dedicated global team is committed to advancing the industry, fueled by the vision that a better-connected future is possible.



ANDREW.COM

Visit our website or contact your local ANDREW representative for more information.

©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. PG-200029.2-EN (08/25)