



- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]







1.2 FOR PATENT INFO: <https://www.adwpat.com>
- 2.0 DESIGN NOTES
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005


5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER

5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	LL1090 02JUL25	YC1015 50103725AMO




<div>ANDREW® an Amphenol company</div>									
TOLERANCES						SAP MATERIAL MASTER			
1 PLACE .X[X] ± 0.2[6.3]			3 PLACE .XXX[X] ± 0.060[1.5]			WB-K210-B-SF			
2 PLACE .XX[X] ± 0.12[3.0]			ANGLES ± 2°						
FINISH						MATERIAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994		NAME	DATE	TITLE					
	CE	LL1090	02JUL25	ICE-BRIDGE SECURE 24"WX10'L BUR-POST					
	RW	LL1090	07/02/2025						
									
	AD	YC1015	07/02/2025	SCALE		WB-K210-B-SF			
	RE	YMENG	07/02/2025	DOCUMENT NO.					
	ECN 50103725AMO								
	SIZE		Auth Group	INSL	MODEL		DRAWING		
C			VERSION	STATUS	REVISION	VERSION	STATUS	REVISION	
			00	RE	A	00	RE	A	



COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MF-130	3.5" O.D. X 13'-4" DIRECT BURIAL PIPE COLUMN	2	57.97 LBS	
2	WB-CY210	SAFETY GRATED WAVEGUIDE BRIDGE CHANNEL	2	49.84 LBS	
3	WBLB24308	24" WAVEGUIDE BRIDGE SUPPORT BRACKET	2	7.14 LBS	
4	PC-034	PIPE CAP 3-1/2"	2	0.66 LBS	
5	CL06R01	20" LADDER RUNG	3	1.69 LBS	
6	GUB-4356	1/2" X 3-5/8" X 6" GALV U-BOLT	4	0.81 LBS	
7	460202925	TAMPER-RESISTANT SCREW, 3/8"-16 X 2",SS	10	0.06 LBS	
8	MT-387	SQUARE WASHER 1-1/2"X1-1/2" W/ 7/16 HOLE	10	0.11 LBS	
9	SWF-03	3/8" SS FLAT WASHER	10	0.01 LBS	
10	SWL-03	3/8" SS LOCK WASHER	10	0.01 LBS	
11	SN-03	3/8" SS NUT	10	0.02 LBS	
12	MTC4210-1000-00	SPLICE PLATE	4	0.72 LBS	
13	460202924	TAMPER-RESISTANT SCW #10 X1" SS	16	0.01 LBS	
14	SWF-02	1/4" STAINLESS FLAT WASHER	16	0.01 LBS	
15	SWL-02	LOCK WASHER, 1/4" SS (EA)	16	0.01 LBS	



TITLE
ICE-BRIDGE SECURE 24"WX10'L BUR-POST

SIZE C	SCALE 1:32	DOCUMENT NO. WB-K210-B-SF		
		DRAWING		
		VERSION 00	STATUS RE	REVISION A

SHEET
2 OF 3

Confidential

4

3

2

1

D

D

C




C

B


B

A

A



HANGER STACKED REFERENCE



ICE BRIDGE - CABLE SECURE VIEW



TITLE
ICE-BRIDGE SECURE 24"WX10'L BUR-POST

SIZE **C** SCALE **1:32** DOCUMENT NO. **WB-K210-B-SF**

DRAWING			SHEET 3 OF 3
VERSION	STATUS	REVISION	
00	RE	A	

Confidential

4

3

2

1