



- 4
- 3
- 2
- 1
- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
- 1.2 FOR PATENT INFO: <https://www.adwpat.com>
- 2.0 DESIGN NOTES
- 2.1 ANY HAZARDS OR OBSTRUCTIONS TO THE CLIMBING FACILITY AND SAFETY CLIMB MUST BE IDENTIFIED PRIOR TO INSTALLING THE APPURTENANCE. ADDITIONAL PRODUCTS MAY BE REQUIRED TO MAINTAIN THE INTEGRITY OF THE SAFETY CLIMB. DURING INSTALLATION, TEMPORARY AND/OR PERMANENT PRECAUTIONARY MEASURES SHOULD BE TAKEN TO PRESERVE THE CLIMBING FACILITY AND/OR SAFETY CLIMB.
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
- 3.2 FIELD VERIFY ALL DIMENSIONS PRIOR TO CUTTING ALL-THREAD.
- 3.3 USE ALL FOUR WHEN LAG BOLTS ARE USED. USE TWO WHEN THREADED ROD IS USED THRU POLE.
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005
- 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
- 5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	YC1059 27MAY25	YW1047 50103069AMO



PACKAGE



**ANDREW**[®] an Amphenol company

TOLERANCES		SAP MATERIAL MASTER						
1 PLACE .X[X] ± 0.2[6.3]	3 PLACE .XXX[X] ± 0.060[1.5]	860685851-0613-63						
2 PLACE .XX[X] ± 0.12[3.0]	ANGLES ± 2°							
FINISH		MATERIAL						
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994	NAME	DATE	4-SECTOR POLE KIT,6-13"DIA,63" PIPE					
	CE YC1059	27MAY25						
	RW YC1059	06/05/2025						
	AD YW1047	06/05/2025						
	RE YMENG	06/05/2025	SCALE 1:8 DOCUMENT NO. 860685851-0613-63					
	ECN 50103069AMO							
SIZE	Auth Group	INSL	MODEL		DRAWING			SHEET 1 OF 4
C			VERSION	STATUS	REVISION	VERSION	STATUS	
			00	RE	A	00	RE	A

4



3

2


1

Confidential

THREADED ROD OPTION





DETAIL A
SCALE 1 : 2



DETAIL B
SCALE 1 : 3

CUT TO LENGTH BASED
ON POLE DIAMETER.



COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.


ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MTC931306-00	6"-13", 4 SECTORS WP RM WELDMENT	4	13.68 LBS	
2	MTC931319-00	ANGLE ON RINGMOUNT, 0.375X2X2X5	4	1.80 LBS	3.3
3	MT37918	1/2" X 18" GALV THREADED ROD	1	0.99 LBS	
4	MT-379	1/2" X 12" GALV THREADED ROD	8	0.66 LBS	
5	GB-04205	1/2" X 2" GALV BOLT KIT	8	0.16 LBS	
6	GUB-4240	1/2" X 2-1/2" X 4" GALV U-BOLT	8	0.56 LBS	
7	GN-04	1/2" GALV HEX NUT	18	0.04 LBS	
8	GWL-04	1/2" GALV LOCK WASHER	18	0.01 LBS	
9	GWF-04	1/2" GALV FLAT WASHER	10	0.04 LBS	
10	BPS-ACC-D-063-H	PIPE-GALV,2.375"OD X 63"	4	15.23 LBS	

SUGGESTED CUT CHART	
WOODPOLE/MONOPOLE OD	THREADED ROD CUT LENGTH
Ø 6"	7"
Ø 7"	7.5"
Ø 8"	8.5"
Ø 9"	9"
Ø 10"	10"
Ø 11"	10.5"
Ø 12"	11.5"
Ø 13"	NO CUT

ANDREW® an Amphenol company

TITLE
4-SECTOR POLE KIT,6-13"DIA,63" PIPE

SIZE **C** SCALE **1:8** DOCUMENT NO. 860685851-0613-63



DRAWING			SHEET 2 OF 4
VERSION	STATUS	REVISION	
00	RE	A	

Confidential


LAG BOLT OPTION

USE 1/2" X 3" LAG BOLTS (GLS-0430) AND
1/2" GALV FLAT WASHER (GWF-04)
IN PLACE OF THREADED ROD.
ONE ON EACH MOUNT. TOTAL OF 4
(PURCHASED SEPARATELY)

ADD ANGLE (MTC931319-00)
TO EACH BRACKET

3.3

DETAIL C
SCALE 1 : 2



TITLE
4-SECTOR POLE KIT,6-13"DIA,63" PIPE


SIZE C	SCALE 1:6	DOCUMENT NO. 860685851-0613-63
------------------	---------------------	-----------------------------------

Confidential



DRAWING			SHEET 3 OF 4
VERSION	STATUS	REVISION	
00	RE	A	

APPLICATION



ANTENNA/RRU MOUNT ASSEMBLY
(NOT INCLUDED IN THIS KIT)

 **ANDREW**® an Amphenol company

TITLE
4-SECTOR POLE KIT,6-13"DIA,63" PIPE

SIZE C	SCALE 1:6	DOCUMENT NO. 860685851-0613-63
------------------	---------------------	-----------------------------------



DRAWING		
VERSION 00	STATUS RE	REVISION A

SHEET
4 OF 4

Confidential