SSC-760236114 | Radio Enclosure Pico for Nokia or Ericsson



Middle of Pole Pico Concealment Enclosure for Ericsson and Nokia Radios

- Intended to be used with remote radio heads on standard street lighting and wood pole structures where low-visual impact is desired
- Enables attractive concealment and securing of all site equipment on standard street lighting structures
- Highly-flexible configuration can house diplexers, AC load center, and/or fiber demarcation

SSC-760236114E1x

Up to (6) 2203/2205/2208/440x Radios

Up to (2) 220x/440x and (1) 4435 OR 4435 and 4455 with separaterly ordered kit "860665179-AMK-002"

Up to (1) 4461 and (1) 4471 with separaterly ordered kit "86066118-AMK-003"

SSC-760236114E4x

(1) 4415/4426 Radio & (1) 220X/440x & (1) PSU AC 02/08

Or

(1) 8843 and (2) PSU-AC-02/08 with separate kit "860660900-1"

SSC-760236114N2x

Up to (4) AirScale Micro Radios

SSC-760236114N3x

- (1) Nokia Dual Band 160W Radio & (1) AirScale Micro Radio or 1 AHFIB &
- (1) DC Rectifier (Nokia FPAE OR Delta 1kW or 1.8kW)

Product Classification

Product Type Mid pole
Product Brand Metro Cell

Ordering Note ANDREW® standard product with terms

Warranty One year

General Specifications

Antennas Included None

Color Light Gray (RAL 7035)

Color Options Beige-Grey (RAL 7006) | Black (RAL 9005) | Black Green (RAL 6012) | Brown (RAL

8014) | Faux Concrete | Green (RAL 6005) | Metallic Silver | Pure White | Umbra Grey

(RAL 7022)

Cooling Passive Cooling

Mounting Options Non-tapered poles | Tapered poles | Wood poles

Power Supply Compatibility PSU-AC-08

Radio Compatibility, Ericsson (1) 4415/4426 Radio & (1) 2203/2205/2208 & (1) PSU AC

ANDREW® an Amphenol company

SSC-760236114 | Radio Enclosure Pico for Nokia or Ericsson

08 | 220x | 440x | 4415 | 4426 | 4435 | 4455 | 4461 | 4471 | 8843 | Power

Distribution

Radio Compatibility, Nokia (1) Airscale Dual Band 160W + (1) AirScale micro radio | AHFIA | AHFIB | Power

Distribution | Up to (4) AirScale micro radios

Radios Included None

Dimensions

 Height
 1016 mm | 40 in

 Width
 401.32 mm | 15.8 in

 Depth
 304.8 mm | 12 in

Electrical Specifications

Power/Fiber Input Trade size knockouts at rear side

Material Specifications

Finish Aluminum Chromate

Finish Concealment Covers Powder coated

Material Type Aluminum | Steel

Environmental Specifications

Thermal Compliance GR-487

Packaging and Weights

 Volume
 $0.125 \, \text{m}^3 \mid 4.4 \, \text{ft}^3$

 Weight (loaded)
 $36.287 \, \text{kg} \mid 80 \, \text{lb}$

 Weight (unloaded)
 $18.144 \, \text{kg} \mid 40 \, \text{lb}$

