







1.0 GENERAL NOTES
1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
1.2 FOR PATENT INFO: <https://www.adwpat.com>
2.0 DESIGN NOTES
3.0 MANUFACTURING/SPECIAL REQUIREMENTS
3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
3.2 ORDER HARDWARE TO MOUNT TO HOLLOW OR SOLID WALLS SEPARATELY.
4.0 TEST
5.0 PACKAGING
5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005
5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED





REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	MSM 09JUL09	TP
B	ADDED DIMS DETAILS OF THE MOUNTING HOLES ON WMA23801 (ITEM 1)	YC1059 05SEP25	BA1025 50104809AMO



COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	WMA23801	WMA238 ANGLE	4	5.89 LBS	
2	GB-05205	5/8" X 2" GALV BOLT KIT	4	0.26 LBS	
3	GUB-4352	1/2" X 3" X 5-1/4" GALV U-BOLT	2	0.71 LBS	

DENSITY	26.85	lbs/in³
MASS	26.85	lbs
VOLUME	95.24	in³
SURFACE AREA	823.82	in²
HEIGHT	24.0"	
LENGTH	15.0"	
WIDTH	6.5"	

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994		NAME	DATE	TITLE WALL MOUNT FOR 2-7/8" OD PIPES					
	CE	MSM	07/09/09						
	RW	YC1059	09/05/2025						
					SCALE 1:5DOCUMENT NO. WMA300				
	AD	YMENG	09/08/2025						
	RE	YMENG	09/08/2025						
	ECN 50104809AMO								
SIZE	Auth Group	INSL	MODEL			DRAWING			SHEET 1 OF 1
C			VERSION 01	STATUS RE	REVISION B	VERSION 01	STATUS RE	REVISION B	

Confidential