





- 1.0 GENERAL NOTES
- 1.1 ALL METRIC DIMENSIONS ARE IN BRACKETS [X. X]
- 1.2 FOR PATENT INFO: <https://www.adwpat.com>
- 2.0 DESIGN NOTES
- 2.1 MAXIMUM ALLOWABLE WEIGHT PER RRU = 109 KG (240 LBS)
- 3.0 MANUFACTURING/SPECIAL REQUIREMENTS
- 3.1 TIGHTEN ALL BOLTS SECURING FLAT PLATES BY THE TURN-OF-NUT METHOD. TIGHTEN ALL U-BOLTS USING TURN-OF-NUT METHOD WITH ATTENTION TO LEAVE EQUAL DISTANCE AND EQUAL FORCE ON EACH LEG OF THE U-BOLT.
- 4.0 TEST
- 5.0 PACKAGING
- 5.1 PACKAGING SHALL MEET ANDREW REQUIREMENTS PER DOCUMENT IS-PL-3005
- 5.2 PRINTED DOCUMENT TO BE PLACED INSIDE POLYBAG AND THEN IN SHIPPING CONTAINER
- 5.3 EXTRA HARDWARE MAY BE SUPPLIED, BAGGED AND SHIPPED

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	DRR 07JAN16	FA1024 8000011948
B	ADDED RRFA-0001-00, RRFA-0002-00 FOR STABILIZING; UPDATED DWG FORMAT	RJC 01JUL19	FA1024 8000036136
C	REMOVED RRFA-002-00 FROM ASSY	RJC 21NOV19	FA1024 8000037958
D	SHEET5 OF D4 NOTE CHANGED FROM RRFAK-001L TO RRFAK-002L	LL1090 21JUL23	XK1001 40175037CMO
E	UPDATED NOTES ON SHEET 3	RY1002 24APR24	GA1119 40194189CMO
F	ADDED NOTE2.1	JJ1095 14AUG25	YZ1080 50104409AMO



FOR POLES UP TO 5.6" IN DIAMETER
FOR 90 DEGREE ANGLES UP TO 4.5"
FOR 60 DEGREE ANGLES UP TO 6.0"



PACKAGE

ANDREW® an Amphenol company											
TOLERANCES								SAP MATERIAL MASTER			
0 PLACE		X[X] ± 0.25[6.3]			2 PLACE		.XX[X] ± 0.06[1.5]			RR-FA2	
1 PLACE		X[X] ± 0.12[3.0]			ANGLES		± 2°				
FINISH						MATERIAL					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES INTERPRET PER ANSI Y 14.5M-1994		NAME		DATE		FAST ACCESS RRU MOUNT					
	CE	RJC		06/28/19							
	RW	JJ1095		08/18/2025							
						SCALE 1:3					
	AD	YZ1080		08/19/2025							
	RE	YMENG		08/19/2025		DOCUMENT NO. RR-FA2					
	ECN 50104409AMO										
SIZE	Auth Group		INSL		MODEL			DRAWING			SHEET 1 OF 5
C					VERSION 03	STATUS RE	REVISION D	VERSION 07	STATUS RE	REVISION F	

COMPONENT PART NUMBERS PROVIDED FOR ASSEMBLY PURPOSES;
INDIVIDUAL COMPONENTS MAY BE SHIPPED AS PARTS WITHIN AN INCLUDED KIT.

ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	NOTE NO.
1	MTC378912	WELDED FRONT BRACKET	2	4.18 LBS	
2	MTC378909	RRU HANGER	4	3.97 LBS	
3	MTC378903	REAR BRACKET	2	3.10 LBS	
4	GWLF-04	1/2" GALV FLAT WASHER	8	0.04 LBS	
5	GB-04145	1/2" X 1-1/2" GALV BOLT KIT	8	0.13 LBS	
6	GWL-04	1/2" GALV LOCK WASHER	12	0.01 LBS	
7	GN-04	1/2" GALV HEX NUT	12	0.04 LBS	
8	MT-379	1/2" X 12" GALV THREADED ROD	4	0.66 LBS	
9	RRFA-0001-00	BRACKET, RRU MOUNT SMALL STABILIZER	2	1.46 LBS	
10	GWLF-03	3/8" GALV FLAT WASHER	8	0.01 LBS	
11	GWL-03	3/8" GALV LOCK WASHER	8	0.01 LBS	
12	GN-03	3/8" GALV HEX NUT	8	0.02 LBS	
13	MTC8196	3/8 X 1-1/4" CARRIAGE BOLT	8	0.052 LBS	

Confidential



ANDREW® an Amphenol company

TITLE

FAST ACCESS RRU MOUNT

SIZE
C

SCALE
1:3

DOCUMENT NO.
RR-FA2



DRAWING		
VERSION	STATUS	REVISION
07	RE	F

SHEET
2 OF 5


4

3

2

1






INSTALLATION NOTES
1.0 PREASSEMBLE HANGER BRACKETS (ITEM 2) AND RRUS
2.0 WITH ITEMS 4 & 5 LOOSE, SLIDE HANGER BRACKET (ITEM 2) INTO SLOTS OF ITEM 1.
ITEM 4 MUST BE ON BACK (TURNED FLANGE) SIDE OF ITEM 1
3.0 TIGHTEN BOLTS AS SHOWN AFTER INSTALLATION



TITLE				
FAST ACCESS RRU MOUNT				
SIZE	SCALE	DOCUMENT NO.		
C	1:2	RR-FA2		
 		DRAWING		
		VERSION	STATUS	REVISION
		07	RE	F
				SHEET
				3 OF 5

Confidential

1.0 EXAMPLE INSTALLATION WITH RRU'S




TITLE
FAST ACCESS RRU MOUNT

SIZE **C** SCALE **1:6** DOCUMENT NO. RR-FA2

DRAWING			SHEET 4 OF 5
VERSION	STATUS	REVISION	
07	RE	F	

Confidential





1.0 EXAMPLE INSTALLATION WITH RRU'S AND AS RADIOS



RRU ORDERED
SEPARATELY

A2 ORDERED
SEPARATELY

LARGE STABILIZER KIT (RRFAK-002L)
SOLD SEPARATELY



TITLE				
FAST ACCESS RRU MOUNT				
SIZE	SCALE	DOCUMENT NO.		
C	1:6	RR-FA2		
		DRAWING		
		VERSION	STATUS	REVISION
		07	RE	F
SHEET				5 OF 5

Confidential